

# VU Research Portal

## Diagnostics, determinants and consequences of poor muscle status during hospitalization

van Ancum, J.M.

2020

### **document version**

Publisher's PDF, also known as Version of record

[Link to publication in VU Research Portal](#)

### **citation for published version (APA)**

van Ancum, J. M. (2020). *Diagnostics, determinants and consequences of poor muscle status during hospitalization: Action needed for an underappreciated organ*. [PhD-Thesis - Research and graduation internal, Vrije Universiteit Amsterdam].

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal ?

### **Take down policy**

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

### **E-mail address:**

[vuresearchportal.ub@vu.nl](mailto:vuresearchportal.ub@vu.nl)

## Bibliography

1. [Dataset]. HCUPnet. Healthcare Cost and Utilization Project. Agency for Healthcare Research and Quality, Rockville, MD. Accessed on March 10, 2019. <https://hcupnet.ahrq.gov/#query/eyJBTkFMWVNJU19UWVB-FljpbIkFUX00iXSwiT1VUQ09NRV9NRUFT-VVJFUyI6WyJPTV9OVU1CRVhlcjPTV9Mb-1MiXSwiUEFUSUVOVF9DSEFSIjpbIIBDX1B-BQ00iXSwiWUVBUIMiOlSiWVJfMjAxNils-IISXzE5OTciXSwiQ0FURUdPUklaQVRJT05fV-FIQRSI6WyJDV9BTEwiXSwiREFUQVNFVF9T-T1VSQ0UiOlSiRfNftkITII19>.
2. [Dataset]. NHS Digital. Hospital Admitted Patient Care Activity, 2017-18. Accessed on March 10, 2019. <https://digital.nhs.uk/data-and-information/publications/statistical/hospital-admitted-patient-care-activity/2017-18>.
3. [Dataset]. CBS StatLine. [Ziekenhuisopnamen en -patiënten; diagnose-indeling ICD-10 (3-teken niveau)]. Accessed on March 10, 2019. <https://opendata.cbs.nl/statline/#/CBS/nl/dataset/84069NED/table>.
4. Barnett K, Mercer SW, Norbury M, Watt G, Wyke S, Guthrie B. Epidemiology of multimorbidity and implications for health care, research, and medical education: a cross-sectional study. *Lancet* 2012;380:37-43.
5. Hovstadius B, Hovstadius K, Astrand B, Petersson G. Increasing polypharmacy - an individual-based study of the Swedish population 2005-2008. *BMC Clin Pharmacol* 2010;10:16-16.
6. Brown CJ, Friedkin RJ, Inouye SK. Prevalence and outcomes of low mobility in hospitalized older patients. *J Am Geriatr Soc* 2004;52:1263-1270.
7. Covinsky KE, Palmer RM, Fortinsky RH, et al. Loss of independence in activities of daily living in older adults hospitalized with medical illnesses: increased vulnerability with age. *J Am Geriatr Soc* 2003;51:451-458.
8. Kortebein P. Rehabilitation for hospital-associated deconditioning. *Am J Phys Med Rehabil* 2009;88:66-77.
9. Puthuchearu ZA, Rawal J, McPhail M, et al. Acute skeletal muscle wasting in critical illness. *JAMA* 2013;310:1591-1600.
10. Cruz-Jentoft AJ, Baeyens JP, Bauer JM, et al. Sarcopenia: European consensus on definition and diagnosis: Report of the European Working Group on Sarcopenia in Older People. *Age Ageing* 2010;39:412-423.
11. Peterson SJ, Braunschweig CA. Prevalence of Sarcopenia and Associated Outcomes in the Clinical Setting. *Nutr Clin Pract* 2016;31:40-48.
12. Miller EA, Weissert WG. Predicting elderly people's risk for nursing home placement, hospitalization, functional impairment, and mortality: a synthesis. *Med Care Res Rev* 2000;57:259-297.
13. Zisberg A, Shadmi E, Gur-Yaish N, Tonkikh O, Sinoff G. Hospital-associated functional decline: the role of hospitalization processes beyond individual risk factors. *J Am Geriatr Soc* 2015;63:55-62.
14. Covinsky KE, Pierluissi E, Johnston CB. Hospitalization-associated disability: "She was probably able to ambulate, but I'm not sure". *JAMA* 2011;306:1782-1793.
15. Zisberg A, Shadmi E, Sinoff G, Gur-Yaish N, Srulovici E, Admi H. Low mobility during hospitalization and functional decline in older adults. *J Am Geriatr Soc* 2011;59:266-273.
16. Boyd CM, Landefeld CS, Counsell SR, et al. Recovery of activities of daily living in older adults after hospitalization for acute medical illness. *J Am Geriatr Soc* 2008;56:2171-2179.
17. Buurman BM, Hoogerduijn JG, de Haan RJ, et al. Geriatric conditions in acutely hospitalized older patients: prevalence and one-year survival and functional decline. *PLoS One* 2011;6:e26951.
18. Martinez-Velilla N, Herrero AC, Cadore EL, Saez de Asteasu ML, Izquierdo M. Iatrogenic Nosocomial Disability Diagnosis and Prevention. *J Am Med Dir Assoc* 2016;17:762-764.
19. Sourdet S, Lafont C, Rolland Y, Nourhashemi F, Andrieu S, Vellas B. Preventable Iatrogenic Disability in Elderly Patients During Hospitalization. *J Am Med Dir Assoc* 2015;16:674-681.
20. Hoenig HM, Rubenstein LZ. Hospi-

- tal-associated deconditioning and dysfunction. *J Am Geriatr Soc* 1991;39:220-222.
21. Brown CJ, Redden DT, Flood KL, Allman RM. The underrecognized epidemic of low mobility during hospitalization of older adults. *J Am Geriatr Soc* 2009;57:1660-1665.
  22. Pedersen MM, Bodilsen AC, Petersen J, et al. Twenty-four-hour mobility during acute hospitalization in older medical patients. *J Gerontol A Biol Sci Med Sci* 2013;68:331-337.
  23. Fisher SR, Goodwin JS, Protas EJ, et al. Ambulatory activity of older adults hospitalized with acute medical illness. *J Am Geriatr Soc* 2011;59:91-95.
  24. Bodilsen AC, Pedersen MM, Petersen J, et al. Acute hospitalization of the older patient: changes in muscle strength and functional performance during hospitalization and 30 days after discharge. *Am J Phys Med Rehabil* 2013;92:789-796.
  25. Greysen SR. Activating Hospitalized Older Patients to Confront the Epidemic of Low Mobility. *JAMA Intern Med* 2016;176:928-929.
  26. Creditor MC. Hazards of Hospitalization of the Elderly. *Ann Intern Med* 1993;118:219-223.
  27. Cerri AP, Bellelli G, Mazzone A, et al. Sarcopenia and malnutrition in acutely ill hospitalized elderly: Prevalence and outcomes. *Clin Nutr* 2015;34:745-751.
  28. Edington J, Boorman J, Durrant ER, et al. Prevalence of malnutrition on admission to four hospitals in England. The Malnutrition Prevalence Group. *Clin Nutr* 2000;19:191-195.
  29. Norman K, Pichard C, Lochs H, Pirlich M. Prognostic impact of disease-related malnutrition. *Clin Nutr* 2008;27:5-15.
  30. Vanderwee K, Clays E, Bocquaert I, Gobert M, Folens B, Defloor T. Malnutrition and associated factors in elderly hospital patients: a Belgian cross-sectional, multi-centre study. *Clin Nutr* 2010;29:469-476.
  31. Glover EI, Phillips SM, Oates BR, et al. Immobilization induces anabolic resistance in human myofibrillar protein synthesis with low and high dose amino acid infusion. *J Physiol* 2008;586:6049-6061.
  32. Phillips SM, Glover EI, Rennie MJ. Alterations of protein turnover underlying disuse atrophy in human skeletal muscle. *J Appl Physiol* (1985) 2009;107:645-654.
  33. [Dataset] Eurostat. Hospital discharges and length of stay for inpatient and curative care. Accessed on March 10, 2019. <http://appsso.eurostat.ec.europa.eu/nui/submitViewTableAction.do>.
  34. Foreman MD, Theis SL, Anderson MA. Adverse events in the hospitalized elderly. *Clin Nurs Res* 1993;2:360-370.
  35. Landi F, Liperoti R, Fusco D, et al. Prevalence and risk factors of sarcopenia among nursing home older residents. *J Gerontol A Biol Sci Med Sci* 2012;67:48-55.
  36. Churilov I, Churilov L, MacIsaac RJ, Ekinici EI. Systematic review and meta-analysis of prevalence of sarcopenia in post acute inpatient rehabilitation. *Osteoporos Int* 2018;29:805-812.
  37. Mirel LB, Carper K. Trends in Health Care Expenditures for the Elderly, Age 65 and Older: 2001, 2006, and 2011. Statistical Brief (Medical Expenditure Panel Survey (US)). Rockville (MD): Agency for Healthcare Research and Quality (US); 2001.
  38. Argiles JM, Campos N, Lopez-Pedrosa JM, Rueda R, Rodriguez-Manas L. Skeletal Muscle Regulates Metabolism via Interorgan Crosstalk: Roles in Health and Disease. *J Am Med Dir Assoc* 2016;17:789-796.
  39. Drescher C, Konishi M, Ebner N, Springer J. Loss of muscle mass: Current developments in cachexia and sarcopenia focused on biomarkers and treatment. *Int J Cardiol* 2016;202:766-772.
  40. Rennie MJ, Selby A, Atherton P, et al. Facts, noise and wishful thinking: muscle protein turnover in aging and human disuse atrophy. *Scand J Med Sci Sports* 2010;20:5-9.
  41. Velloso CP. Regulation of muscle mass by growth hormone and IGF-I. *Br J Pharmacol* 2008;154:557-568.
  42. Eley HL, Tisdale MJ. Skeletal muscle atrophy, a link between depression of protein synthesis and increase in degradation. *J Biol*

## Bibliography

Chem 2007;282:7087-7097.

43. Bodine SC. Disuse-induced muscle wasting. *Int J Biochem Cell Biol* 2013;45:2200-2208.

44. Gariballa S, Forster S. Effects of acute-phase response on nutritional status and clinical outcome of hospitalized patients. *Nutrition* 2006;22:750-757.

45. Lopez-Otin C, Blasco MA, Partridge L, Serrano M, Kroemer G. The hallmarks of aging. *Cell* 2013;153:1194-1217.

46. Chai RJ, Vukovic J, Dunlop S, Grounds MD, Shavlakadze T. Striking Denervation of Neuromuscular Junctions without Lumbar Motoneuron Loss in Geriatric Mouse Muscle. *PLoS One* 2011;6:e28090.

47. Brunner F, Schmid A, Sheikhzadeh A, Nordin M, Yoon J, Frankel V. Effects of aging on Type II muscle fibers: a systematic review of the literature. *J Aging Phys Act* 2007;15:336-348.

48. McCormick R, Vasilaki A. Age-related changes in skeletal muscle: changes to life-style as a therapy. *Biogerontology* 2018;19:519-536.

49. Chakkalakal JV, Jones KM, Basson MA, Brack AS. The aged niche disrupts muscle stem cell quiescence. *Nature* 2012;490:355-360.

50. Fulop T, Dupuis G, Witkowski JM, Larbi A. The Role of Immunosenescence in the Development of Age-Related Diseases. *Rev Invest Clin* 2016;68:84-91.

51. Hvid L, Aagaard P, Justesen L, et al. Effects of aging on muscle mechanical function and muscle fiber morphology during short-term immobilization and subsequent retraining. *J Appl Physiol* (1985) 2010;109:1628-1634.

52. Suetta C, Hvid LG, Justesen L, et al. Effects of aging on human skeletal muscle after immobilization and retraining. *J Appl Physiol* (1985) 2009;107:1172-1180.

53. Visser M. Epidemiology of Muscle Mass Loss with Age. Sarcopenia. John Wiley & Sons, Ltd.; 2012.

54. Janssen I, Heymsfield SB, Wang ZM, Ross R. Skeletal muscle mass and distribution

in 468 men and women aged 18-88 yr. *J Appl Physiol* (1985) 2000;89:81-88.

55. Mitchell WK, Williams J, Atherton P, Larvin M, Lund J, Narici M. Sarcopenia, dynapenia, and the impact of advancing age on human skeletal muscle size and strength; a quantitative review. *Front Physiol* 2012;3:260.

56. Hall KS, Cohen HJ, Pieper CF, et al. Physical Performance Across the Adult Life Span: Correlates With Age and Physical Activity. *J Gerontol A Biol Sci Med Sci* 2017;72:572-578.

57. Kortebein P, Ferrando A, Lombeida J, Wolfe R, Evans WJ. Effect of 10 days of bed rest on skeletal muscle in healthy older adults. *JAMA* 2007;297:1772-1774.

58. Kortebein P, Symons TB, Ferrando A, et al. Functional impact of 10 days of bed rest in healthy older adults. *J Gerontol A Biol Sci Med Sci* 2008;63:1076-1081.

59. Anker SD, Morley JE, von Haehling S. Welcome to the ICD-10 code for sarcopenia. *J Cachexia Sarcopenia Muscle* 2016;7:512-514.

60. Reijnierse EM, de van der Schueren MAE, Trappenburg MC, Doves M, Meskers CGM, Maier AB. Lack of knowledge and availability of diagnostic equipment could hinder the diagnosis of sarcopenia and its management. *PLoS One* 2017;12:e0185837.

61. Yeung SSY, Reijnierse EM, Trappenburg MC, Meskers CGM, Maier AB. Current knowledge and practice of Australian and New Zealand health-care professionals in sarcopenia diagnosis and treatment: Time to move forward!. *Australas J Ageing* 2019.

62. Martinez BP, Batista AK, Gomes IB, Olivieri FM, Camelier FW, Camelier AA. Frequency of sarcopenia and associated factors among hospitalized elderly patients. *BMC Musculoskelet Disord* 2015;16:108.

63. Shafiee G, Keshtkar A, Soltani A, Ahadi Z, Larijani B, Heshmat R. Prevalence of sarcopenia in the world: a systematic review and meta-analysis of general population studies. *J Diabetes Metab Disord* 2017;16:21.

64. Fragala MS, Dam TT, Barber V, et al. Strength and function response to clinical interventions of older women categorized by weakness and low lean mass using classifi-

- cations from the Foundation for the National Institute of Health sarcopenia project. *J Gerontol A Biol Sci Med Sci* 2015;70:202-209.
65. Sousa AS, Guerra RS, Fonseca I, Pichel F, Amaral TF. Sarcopenia and length of hospital stay. *Eur J Clin Nutr* 2016;70:595-601.
  66. Looijaard S, Slee-Valentijn MS, Otten RHJ, Maier AB. Physical and Nutritional Prehabilitation in Older Patients With Colorectal Carcinoma: A Systematic Review. *J Geriatr Phys Ther* 2018;41:236-244.
  67. Hulzebos EH, Smit Y, Helders PP, van Meeteren NL. Preoperative physical therapy for elective cardiac surgery patients. *Cochrane Database Syst Rev* 2012;11:CD010118.
  68. Santa Mina D, Clarke H, Ritvo P, et al. Effect of total-body prehabilitation on postoperative outcomes: a systematic review and meta-analysis. *Physiotherapy* 2014;100:196-207.
  69. Meyer C, Dostou JM, Welle SL, Gerich JE. Role of human liver, kidney, and skeletal muscle in postprandial glucose homeostasis. *Am J Physiol Endocrinol Metab* 2002;282:E419-427.
  70. Frontera WR, Ochala J. Skeletal muscle: a brief review of structure and function. *Calcif Tissue Int* 2015;96:183-195.
  71. Wolfe RR. The underappreciated role of muscle in health and disease. *Am J Clin Nutr* 2006;84:475-482.
  72. Demontis F, Piccirillo R, Goldberg AL, Perrimon N. The influence of skeletal muscle on systemic aging and lifespan. *Aging Cell* 2013;12:943-949.
  73. Reijnierse EM, Trappenburg MC, Let-ter MJ, et al. The Impact of Different Diagnostic Criteria on the Prevalence of Sarcopenia in Healthy Elderly Participants and Geriatric Outpatients. *Gerontology* 2015;61:491-496.
  74. Bodilsen AC, Juul-Larsen HG, Petersen J, Beyer N, Andersen O, Bandholm T. Feasibility and inter-rater reliability of physical performance measures in acutely admitted older medical patients. *PLoS One*. 2015;10:e0118248.
  75. van Lummel RC, Walgaard S, Maier AB, Ainsworth E, Beek PJ, van Dieën JH. The Instrumented Sit-to-Stand Test (iSTS) Has Greater Clinical Relevance than the Manually Recorded Sit-to-Stand Test in Older Adults. *PLoS One* 2016;11:e0157968.
  76. Stijntjes M, Meskers CG, de Craen AJ, et al. Effect of calendar age on physical performance: A comparison of standard clinical measures with instrumented measures in middle-aged to older adults. *Gait Posture* 2016;45:12-18.
  77. Hoogerduijn JG, Schuurmans MJ, Duijnstee MS, de Rooij SE, Grypdonck MF. A systematic review of predictors and screening instruments to identify older hospitalized patients at risk for functional decline. *J Clin Nurs* 2007;16:46-57.
  78. De Buyser SL, Petrovic M, Taes YE, Vetrano DL, Onder G. A multicomponent approach to identify predictors of hospital outcomes in older in-patients: a multicentre, observational study. *PLoS One* 2014;9:e115413.
  79. Rubio-Ruiz ME, Guarner-Lans V, Perez-Torres I, Soto ME. Mechanisms Underlying Metabolic Syndrome-Related Sarcopenia and Possible Therapeutic Measures. *Int J Mol Sci* 2019;20.
  80. Carriere I, Peres K, Ancelin ML, et al. Metabolic syndrome and disability: findings from the prospective three-city study. *J Gerontol A Biol Sci Med Sci* 2014;69:79-86.
  81. Butler J, Rodondi N, Zhu Y, et al. Metabolic syndrome and the risk of cardiovascular disease in older adults. *J Am Coll Cardiol* 2006;47:1595-1602.
  82. Ethgen O, Beaudart C, Buckinx F, Bruyère O, Reginster JY. The Future Prevalence of Sarcopenia in Europe: A Claim for Public Health Action. *Calcif Tissue Int* 2017;100:229-234.
  83. Waters DL, Baumgartner RN, Garry PJ. Sarcopenia: current perspectives. *J Nutr Health Aging* 2000;4:133-139.
  84. Vandervoort AA, Symons TB. Functional and metabolic consequences of sarcopenia. *Can J Appl Physiol* 2001;26:90-101.
  85. Doherty TJ. The influence of aging and sex on skeletal muscle mass and strength. *Curr Opin Clin Nutr Metab Care* 2001;4:503-508.

## Bibliography

86. Beenakker KG, Ling CH, Meskers CG, et al. Patterns of muscle strength loss with age in the general population and patients with a chronic inflammatory state. *Ageing Res Rev* 2010;9:431-436.
87. Landi F, Liperoti R, Russo A, et al. Sarcopenia as a risk factor for falls in elderly individuals: results from the iSIRENTE study. *Clin Nutr* 2012;31:652-658.
88. Yu R, Leung J, Woo J. Incremental predictive value of sarcopenia for incident fracture in an elderly Chinese cohort: results from the Osteoporotic Fractures in Men (MrOs) Study. *J Am Med Dir Assoc* 2014;15:551-558.
89. Tang TC, Hwang AC, Liu LK, et al. FNIH-defined Sarcopenia Predicts Adverse Outcomes Among Community-Dwelling Older People in Taiwan: Results From I-Lan Longitudinal Aging Study. *J Gerontol A Biol Sci Med Sci* 2018;73:828-834.
90. dos Santos L, Cyrino ES, Antunes M, Santos DA, Sardinha LB. Sarcopenia and physical independence in older adults: the independent and synergic role of muscle mass and muscle function. *J Cachexia Sarcopenia Muscle* 2017;8:245-250.
91. Brown JC, Harhay MO, Harhay MN. Sarcopenia and mortality among a population-based sample of community-dwelling older adults. *J Cachexia Sarcopenia Muscle* 2016;7:290-298.
92. Janssen I, Shepard DS, Katzmarzyk PT, Roubenoff R. The healthcare costs of sarcopenia in the United States. *J Am Geriatr Soc* 2004;52:80-85.
93. Beaudart C, Dawson A, Shaw SC, et al. Nutrition and physical activity in the prevention and treatment of sarcopenia: systematic review. *Osteoporos Int* 2017;28:1817-1833.
94. Boirie Y, Morio B, Caumon E, Cano NJ. Nutrition and protein energy homeostasis in elderly. *Mech Ageing Dev* 2014;136-137:76-84.
95. English KL, Paddon-Jones D. Protecting muscle mass and function in older adults during bed rest. *Curr Opin Clin Nutr Metab Care* 2010;13:34-39.
96. Tieland M, Trouwborst I, Clark BC. Skeletal muscle performance and ageing. *J Cachexia Sarcopenia Muscle* 2018;9:3-19.
97. Montero-Fernandez N, Serra-Rexach JA. Role of exercise on sarcopenia in the elderly. *Eur J Phys Rehabil Med* 2013;49:131-143.
98. Peterson MD, Rhea MR, Sen A, Gordon PM. Resistance exercise for muscular strength in older adults: a meta-analysis. *Ageing Res Rev* 2010;9:226-237.
99. Paddon-Jones D, Rasmussen BB. Dietary protein recommendations and the prevention of sarcopenia: Protein, amino acid metabolism and therapy. *Curr Opin Clin Nutr Metab Care* 2009;12:86-90.
100. McCormack HM, Horne DJ, Sheather S. Clinical applications of visual analogue scales: a critical review. *Psychol Med* 1988;18:1007-1019.
101. Reijnierse EM, de Jong N, Trappenburg MC, et al. Assessment of maximal handgrip strength: how many attempts are needed? *J Cachexia Sarcopenia Muscle* 2017;8:466-474.
102. Mukaka MM. Statistics corner: A guide to appropriate use of correlation coefficient in medical research. *Malawi Med J* 2012;24:69-71.
103. Ungan M, Tumer M. Turkish women's knowledge of osteoporosis. *Fam Pract* 2001;18:199-203.
104. Kasper MJ, Peterson MG, Allegrante JP, Galsworthy TD, Gutin B. Knowledge, beliefs, and behaviors among college women concerning the prevention of osteoporosis. *Arch Fam Med* 1994;3:696-702.
105. Kasper MJ, Peterson MG, Allegrante JP. The need for comprehensive educational osteoporosis prevention programs for young women: results from a second osteoporosis prevention survey. *Arthritis Rheum* 2001;45:28-34.
106. Rojer AGM, Reijnierse EM, Trappenburg MC, et al. Instrumented Assessment of Physical Activity Is Associated With Muscle Function but Not With Muscle Mass in a General Population. *J Aging Health* 2017;898264317721554.



107. Kim HK, Suzuki T, Saito K, et al. Effects of exercise and amino acid supplementation on body composition and physical function in community-dwelling elderly Japanese sarcopenic women: a randomized controlled trial. *J Am Geriatr Soc* 2012;60:16-23.
108. Tieland M, Dirks ML, van der Zwaluw N, et al. Protein supplementation increases muscle mass gain during prolonged resistance-type exercise training in frail elderly people: a randomized, double-blind, placebo-controlled trial. *J Am Med Dir Assoc* 2012;13:713-719.
109. Cusack L, Del Mar CB, Chalmers I, Gibson E, Hoffmann TC. Educational interventions to improve people's understanding of key concepts in assessing the effects of health interventions: a systematic review. *Syst Rev* 2018;7:68.
110. Brunello G, Fort M, Schneeweis N, Winter-Ebmer R. The Causal Effect of Education on Health: What is the Role of Health Behaviors? *Health Econ* 2016;25:314-336.
111. Li J, Powdthavee N. Does more education lead to better health habits? Evidence from the school reforms in Australia. *Soc Sci Med* 2015;127:83-91.
112. Gaines JM, Narrett M, Parrish JM. The effect of the addition of osteoporosis education to a bone health screening program for older adults. *Geriatr Nurs* 2010;31:348-360.
113. Yeung SSY, Reijnierse EM, Pham VK, et al. Sarcopenia and its association with falls and fractures in older adults: A systematic review and meta-analysis. *J Cachexia Sarcopenia Muscle* 2019;10:485-500.
114. Cabett-Cipolli G, Sanches-Yassuda M, Aprahamian I. Sarcopenia is associated with cognitive impairment in older adults: a systematic review and meta-analysis. *J Nutr Health Aging* 2019:1-7.
115. Zhang X, Zhang W, Wang C, Tao W, Dou QY, Y. Sarcopenia as a predictor of hospitalization among older people: a systematic review and meta-analysis. *BMC Geriatr* 2018;18:188.
116. Liu P, Hao Q, Hai S, Wang H, Cao L, Dong B. Sarcopenia as a predictor of all-cause mortality among community-dwelling older people: A systematic review and meta-analysis. *Maturitas* 2017;103:16-22.
117. Van Ancum JM, Meskers CGM, Reijnierse EM, et al. Lack of Knowledge Contrasts the Willingness to Counteract Sarcopenia Among Community-Dwelling Adults. *J Aging Health* 2019;898264319852840.
118. Muscaritoli M, Anker SD, Argilés J, et al. Consensus definition of sarcopenia, cachexia and pre-cachexia: Joint document elaborated by Special Interest Groups (SIG) "cachexia-anorexia in chronic wasting diseases" and "nutrition in geriatrics". *Clin Nutr* 2010;29:154-159.
119. Fielding RA, Vellas B, Evans WJ, et al. Sarcopenia: An Undiagnosed Condition in Older Adults. Current Consensus Definition: Prevalence, Etiology, and Consequences. International Working Group on Sarcopenia. *Journal of the American Medical Directors Association* 2011;12:249-256.
120. Morley JE, Abbatecola AM, Argiles JM, et al. Sarcopenia With Limited Mobility: An International Consensus. *J Am Med Dir Assoc* 2011;12:403-409.
121. Studenski SA, Peters KW, Alley DE, et al. The FNIH sarcopenia project: rationale, study description, conference recommendations, and final estimates. *J Gerontol A Biol Sci Med Sci* 2014;69:547-558.
122. Chen LK, Liu LK, Woo J, et al. Sarcopenia in Asia: consensus report of the Asian Working Group for Sarcopenia. *J Am Med Dir Assoc* 2014;15:95-101.
123. Zanker J, Scott D, Reijnierse EM, et al. Establishing an Operational Definition of Sarcopenia in Australia and New Zealand: Delphi Method Based Consensus Statement. *J Nutr Health Aging* 2019;23:105-110.
124. Reijnierse EM, Buljan A, Tuttle CSL, et al. Prevalence of sarcopenia in inpatients 70 years and older using different diagnostic criteria. *Nurs Open* 2019;6:377-383.
125. Bijlsma AY, Meskers CG, Ling CH, et al. Defining sarcopenia: the impact of different diagnostic criteria on the prevalence of sarcopenia in a large middle aged cohort. *Age (Dordr)* 2013;35:871-881.
126. Cruz-Jentoft AJ, Bahat G, Bauer J,

## Bibliography

et al. Sarcopenia: revised European consensus on definition and diagnosis. *Age Ageing* 2019;48:16-31.

127. Locquet M, Beaudart C, Petermans J, Reginster JY, Bruyere O. EWGSOP2 Versus EWGSOP1: Impact on the Prevalence of Sarcopenia and Its Major Health Consequences. *J Am Med Dir Assoc* 2019;20:384-385.

128. Phu S, Vogrin S, Zanker J, Bani Hassan E, Al Saedi A, Duque G. Agreement Between Initial and Revised European Working Group on Sarcopenia in Older People Definitions. *J Am Med Dir Assoc* 2019;20:382-383. e381.

129. Reiss J, Iglseider B, Alzner R, et al. Consequences of applying the new EWGSOP2 guideline instead of the former EWGSOP guideline for sarcopenia case finding in older patients. *Age Ageing* 2019.

130. Cruz-Jentoft AJ, Bahat G, Bauer J, et al. Sarcopenia: revised European consensus on definition and diagnosis. *Age Ageing* 2019.

131. Suetta C. Copenhagen Sarcopenia Study - Time To Implement Assessment Of Muscle Mass And Muscle Function As A Clinical Target. *Med Sci Sports Exerc* 2017;49:434.

132. McPhee JS, Hogrel JY, Maier AB, et al. Physiological and functional evaluation of healthy young and older men and women: design of the European MyoAge study. *Biogerontology* 2013;14:325-337.

133. Christensen MG, Piper KS, Dreier R, Suetta C, Andersen HE. Prevalence of sarcopenia in a Danish geriatric out-patient population. *Dan Med J* 2018;65.

134. Mol A, Reijnierse EM, Trappenburg MC, Wezel RJAv, Maier AB, Meskers CGM. Rapid Systolic Blood Pressure Changes After Standing Up Associate With Impaired Physical Performance in Geriatric Outpatients. *J Am Heart Assoc* 2018;7:e010060.

135. Van Ancum JM, Scheerman K, Pierik VD, et al. Muscle Strength and Muscle Mass in Older Patients during Hospitalization: The EMPOWER Study. *Gerontology* 2017;63:507-514.

136. Ling CH, de Craen AJ, Slagboom PE, et al. Accuracy of direct segmental multi-frequency bioimpedance analysis in the assessment of total body and segmental body composition in middle-aged adult population. *Clin Nutr* 2011;30:610-615.

137. Gould H, Brennan SL, Kotowicz MA, Nicholson GC, Pasco JA. Total and appendicular lean mass reference ranges for Australian men and women: the Geelong osteoporosis study. *Calcif Tissue Int* 2014;94:363-372.

138. Treveltham R. Sensitivity, Specificity, and Predictive Values: Foundations, Plausibilities, and Pitfalls in Research and Practice. *Front Public Health* 2017;5:307.

139. Baumgartner RN, Koehler KM, Gallagher D, et al. Epidemiology of sarcopenia among the elderly in New Mexico. *Am J Epidemiol* 1998;147:755-763.

140. Evans WJ, Campbell WW. Sarcopenia and age-related changes in body composition and functional capacity. *J Nutr* 1993;123:465-468.

141. Evans WJ. What is sarcopenia? *J Gerontol A Biol Sci Med Sci* 1995;50:5-8.

142. Melton JL, Khosla S, Lawrence Riggs B. Epidemiology of sarcopenia. *Mayo Clin Proc* 2000;75:S10-S13.

143. Tanko LB, Movsesyan L, Mouritzen U, Christiansen C, Svendsen OL. Appendicular lean tissue mass and the prevalence of sarcopenia among healthy women. *Metabolism* 2002;51:69-74.

144. Iannuzzi-Sucich M, Prestwood KM, Kenny AM. Prevalence of sarcopenia and predictors of skeletal muscle mass in healthy, older men and women. *J Gerontol A Biol Sci Med Sci* 2002;57:M772-M777.

145. Janssen I, Heymsfield SB, Ross R. Low relative skeletal muscle mass (sarcopenia) in older persons is associated with functional impairment and physical disability. *J Am Geriatr Soc* 2002;50:889-896.

146. Janssen I, Baumgartner RN, Ross R, Rosenberg IH, Roubenoff R. Skeletal Muscle Cutpoints Associated with Elevated Physical Disability Risk in Older Men and Women. *Am J Epidemiol* 2004;159:413-421.

147. Gillette-Guyonnet S, Nourhashemi F, Andrieu S, et al. Body composition in French



- women 75+ years of age: the EPIDOS study. *Mech Ageing Dev* 2003;124:311-316.
148. Castillo EM, Goodman-Gruen D, Kritz-Silverstein D, Morton DJ, Wingard DL, Barrett-Connor E. Sarcopenia in elderly men and women: the Rancho Bernardo study. *Am J Prev Med* 2003;25:226-231.
  149. Lau EM, Lynn HS, Woo JW, Kwok TC, Melton LJ, 3rd. Prevalence of and risk factors for sarcopenia in elderly Chinese men and women. *J Gerontol A Biol Sci Med Sci* 2005;60:213-216.
  150. Morley JE, Baumgartner RN, Roubenoff R, Mayer J, Nair KS. Sarcopenia. *J Lab Clin Med* 2001;137:231-243.
  151. Morley JE. Sarcopenia: diagnosis and treatment. *J Nutr Health Aging* 2008;12:452-456.
  152. Lauretani F, Russo CR, Bandinelli S, et al. Age-associated changes in skeletal muscles and their effect on mobility: an operational diagnosis of sarcopenia. *J Appl Physiol* (1985) 2003;95:1851-1860.
  153. Visser M, Deeg DJ, Lips P, Harris TB, Bouter LM. Skeletal muscle mass and muscle strength in relation to lower-extremity performance in older men and women. *J Am Geriatr Soc* 2000;48:381-386.
  154. Visser M, Goodpaster BH, Kritchevsky SB, et al. Muscle mass, muscle strength, and muscle fat infiltration as predictors of incident mobility limitations in well-functioning older persons. *J Gerontol A Biol Sci Med Sci* 2005;60:324-333.
  155. Newman AB, Kupelian V, Visser M, et al. Strength, but not muscle mass, is associated with mortality in the health, aging and body composition study cohort. *J Gerontol A Biol Sci Med Sci* 2006;61:72-77.
  156. Ling CH, Taekema D, de Craen AJ, Gussekloo J, Westendorp RG, Maier AB. Hand-grip strength and mortality in the oldest old population: the Leiden 85-plus study. *CMAJ* 2010;182:429-435.
  157. Visser M. Towards a definition of sarcopenia - Results from epidemiologic studies. *J Nutr Health Aging* 2009;13:713-716.
  158. Roubenoff R, Hughes VA. Sarcopenia: current concepts. *J Gerontol A Biol Sci Med Sci* 2000;55:M716-724.
  160. Janssen I. Evolution of sarcopenia research. *Appl Physiol Nutr Metab* 2010;35:707-712.
  161. Clark BC, Manini TM. Sarcopenia  $\neq$  dynapenia. *J Gerontol A Biol Sci Med Sci* 2008;63:829-834.
  162. Looijaard SMLM, Oudbier SJ, Reijnen EM, Blauw GJ, Meskers CGM, Maier AB. Single Physical Performance Measures Cannot Identify Geriatric Outpatients with Sarcopenia. *J Frailty Aging* 2018;7:262-267.
  163. Cawthon PM, Peters KW, Shardell MD, et al. Cutpoints for low appendicular lean mass that identify older adults with clinically significant weakness. *J Gerontol A Biol Sci Med Sci* 2014;69:567-575.
  164. Bijlsma AY, Meskers CG, van den Eschhof N, et al. Diagnostic criteria for sarcopenia and physical performance. *Age (Dordr)* 2014;36:275-285.
  165. McMurray RG, Soares J, Caspersen CJ, McCurdy T. Examining variations of resting metabolic rate of adults: a public health perspective. *Med Sci Sports Exerc* 2014;46:1352-1358.
  166. Muller MJ, Bosy-Westphal A, Kutzner D, Heller M. Metabolically active components of fat-free mass and resting energy expenditure in humans: recent lessons from imaging technologies. *Obes Rev* 2002;3:113-122.
  167. Hunter GR, Weinsier RL, Gower BA, Wetzstein C. Age-related decrease in resting energy expenditure in sedentary white women: effects of regional differences in lean and fat mass. *Am J Clin Nutr* 2001;73:333-337.
  168. Akasaki Y, Ouchi N, Izumiya Y, Bernardo BL, Lebrasseur NK, Walsh K. Glycolytic fast-twitch muscle fiber restoration counters adverse age-related changes in body composition and metabolism. *Aging Cell* 2014;13:80-91.
  169. LeBrasseur NK, Walsh K, Arany Z. Metabolic benefits of resistance training and fast glycolytic skeletal muscle. *Am J Physiol Endocrinol Metab* 2011;300:E3-10.
  170. Bijlsma AY, Meskers MCG, Molendijk

## Bibliography

- M, et al. Diagnostic measures for sarcopenia and bone mineral density. *Osteoporos Int* 2013;24:2681-2691.
171. Liu B, Hu X, Zhang Q, et al. Usual walking speed and all-cause mortality risk in older people: A systematic review and meta-analysis. *Gait Posture* 2016;44:172-177.
172. Pavasini R, Guralnik J, Brown JC, et al. Short Physical Performance Battery and all-cause mortality: systematic review and meta-analysis. *BMC Med* 2016;14:215.
173. Bulow J, Ulijaszek SJ, Holm L. Rejuvenation of the term sarcopenia. *J Appl Physiol* (1985) 2019;126:255-256.
174. Bulow J, Ulijaszek SJ, Holm L. Last Word on Viewpoint: Rejuvenation of the term sarcopenia. *J Appl Physiol* (1985) 2019;126:263.
175. Langer HT, Mossakowski AA, Baar K, et al. Commentaries on Viewpoint: Rejuvenation of the term sarcopenia. *J Appl Physiol* (1985) 2019;126:257-262.
176. Suetta C, Maier AB. Is muscle failure a better term than sarcopenia? *J Cachexia Sarcopenia Muscle* 2019.
177. Cesari M, Kritchevsky SB, Newman AB, et al. Added value of physical performance measures in predicting adverse health-related events: results from the Health, Aging And Body Composition Study. *J Am Geriatr Soc* 2009;57:251-259.
178. Abellan van Kan G, Rolland Y, Andrieu S, et al. Gait speed at usual pace as a predictor of adverse outcomes in community-dwelling older people an International Academy on Nutrition and Aging (IANA) Task Force. *J Nutr Health Aging* 2009;13:881-889.
179. Studenski S, Perera S, Patel K, et al. Gait speed and survival in older adults. *JAMA* 2011;305:50-58.
180. Fritz S, Lusardi M. White paper: "walking speed: the sixth vital sign". *J Geriatr Phys Ther* 2009;32:46-49.
181. Pasma JH, Stijntjes M, Ou SS, Blauw GJ, Meskers CG, Maier AB. Walking speed in elderly outpatients depends on the assessment method. *Age (Dordr)* 2014;36:9736.
182. Berthelot JM, Le Goff B, Maugars Y. The Hawthorne effect: stronger than the placebo effect? *Joint Bone Spine* 2011;78:335-336.
183. van Lummel RC, Walgaard S, Pijnappels M, et al. Physical Performance and Physical Activity in Older Adults: Associated but Separate Domains of Physical Function in Old Age. *PLoS One* 2015;10:e0144048.
184. Brodie MA, Coppens MJ, Ejupi A, et al. Comparison between clinical gait and daily-life gait assessments of fall risk in older people. *Geriatr Gerontol Int* 2017;17:2274-2282.
185. Haskell WL, Blair SN, Hill JO. Physical activity: health outcomes and importance for public health policy. *Prev Med* 2009;49:280-282.
186. Zijlstra W, Hof AL. Assessment of spatio-temporal gait parameters from trunk accelerations during human walking. *Gait Posture* 2003;18:1-10.
187. van Schooten KS, Rispens SM, Elders PJ, Lips P, van Dieen JH, Pijnappels M. Assessing physical activity in older adults: required days of trunk accelerometer measurements for reliable estimation. *J Aging Phys Act* 2015;23:9-17.
188. Yang S, Li Q. Inertial sensor-based methods in walking speed estimation: a systematic review. *Sensors (Basel)* 2012;12:6102-6116.
189. van Schooten KS, Pijnappels M, Rispens SM, Elders PJ, Lips P, van Dieen JH. Ambulatory fall-risk assessment: amount and quality of daily-life gait predict falls in older adults. *J Gerontol A Biol Sci Med Sci* 2015;70:608-615.
190. Brodie MA, Coppens MJ, Lord SR, et al. Wearable pendant device monitoring using new wavelet-based methods shows daily life and laboratory gait are different. *Med Biol Eng Comput* 2016;54:663-674.
191. Tudor-Locke C, Barreira TV, Brouillette RM, Foil HC, Keller JN. Preliminary comparison of clinical and free-living measures of stepping cadence in older adults. *J Phys Act Health* 2013;10:1175-1180.
192. Guralnik JM, Simonsick EM, Ferrucci L, et al. A short physical performance battery

- assessing lower extremity function: association with self-reported disability and prediction of mortality and nursing home admission. *J Gerontol* 1994;49:M85-94.
193. Storm FA, Heller BW, Mazza C. Step detection and activity recognition accuracy of seven physical activity monitors. *PLoS One* 2015;10:e0118723.
  194. Dijkstra B, Kamsma Y, Zijlstra W. Detection of gait and postures using a miniaturised triaxial accelerometer-based system: accuracy in community-dwelling older adults. *Age Ageing* 2010;39:259-262.
  195. Moe-Nilssen R. A new method for evaluating motor control in gait under real-life environmental conditions. Part 1: The instrument. *Clin Biomech (Bristol, Avon)* 1998;13:320-327.
  196. Rispens SM, Pijnappels M, van Schooten KS, Beek PJ, Daffertshofer A, van Dieen JH. Consistency of gait characteristics as determined from acceleration data collected at different trunk locations. *Gait Posture* 2014;40:187-192.
  197. Judge JO, Davis RB, 3rd, Ounpuu S. Step length reductions in advanced age: the role of ankle and hip kinetics. *J Gerontol A Biol Sci Med Sci* 1996;51:M303-312.
  198. Ashman KM, Bird CM, Zepf SE. Detecting Bimodality in Astronomical Datasets. *Astronomical Journal* 1994;108:2348-2361.
  199. Rispens SM, Van Dieen JH, Van Schooten KS, et al. Fall-related gait characteristics on the treadmill and in daily life. *J Neuroeng Rehabil* 2016;13:12.
  200. Nait Aicha A, Englebienne G, van Schooten KS, Pijnappels M, Krose B. Deep Learning to Predict Falls in Older Adults Based on Daily-Life Trunk Accelerometry. *Sensors (Basel)* 2018;18.
  201. Zalewski KR, Smith JC, Malzahn J, VanHart M, O'Connell D. Measures of physical ability are unrelated to objectively measured physical activity behavior in older adults residing in continuing care retirement communities. *Arch Phys Med Rehabil* 2009;90:982-986.
  202. Nicolai S, Benzinger P, Skelton DA, Aminian K, Becker C, Lindemann U. Day-to-day variability of physical activity of older adults living in the community. *J Aging Phys Act* 2010;18:75-86.
  203. Morie M, Reid KF, Miciek R, et al. Habitual physical activity levels are associated with performance in measures of physical function and mobility in older men. *J Am Geriatr Soc* 2010;58:1727-1733.
  204. Pitta F, Troosters T, Spruit MA, Probst VS, Decramer M, Gosselink R. Characteristics of physical activities in daily life in chronic obstructive pulmonary disease. *Am J Respir Crit Care Med* 2005;171:972-977.
  205. Rantz M, Skubic M, Abbott C, et al. Automated In-Home Fall Risk Assessment and Detection Sensor System for Elders. *Gerontologist* 2015;55 Suppl 1:S78-87.
  206. Kaye J, Mattek N, Dodge H, et al. One walk a year to 1000 within a year: continuous in-home unobtrusive gait assessment of older adults. *Gait Posture* 2012;35:197-202.
  207. Kerr J, Marshall S, Godbole S, et al. The relationship between outdoor activity and health in older adults using GPS. *Int J Environ Res Public Health* 2012;9:4615-4625.
  208. Jacobs JM, Cohen A, Hammerman-Rozenberg R, Azoulay D, Maaravi Y, Stessman J. Going outdoors daily predicts long-term functional and health benefits among ambulatory older people. *J Aging Health* 2008;20:259-272.
  209. Rantz MJ, Skubic M, Koopman RJ, et al. Automated technology to speed recognition of signs of illness in older adults. *J Gerontol Nurs* 2012;38:18-23.
  210. Perera S, Mody SH, Woodman RC, Studenski SA. Meaningful change and responsiveness in common physical performance measures in older adults. *J Am Geriatr Soc* 2006;54:743-749.
  211. Guralnik JM, Ferrucci L. Assessing the building blocks of function: utilizing measures of functional limitation. *Am J Prev Med* 2003;25:112-121.
  212. Jette AM, SM H, JT K. Late-Life FDI Manual. Bost Univ 2002:73.
  213. Beauchamp MK, Schmidt CT, Pedersen MM, Bean JF, Jette AM. Psychometric

## Bibliography

properties of the Late-Life Function and Disability Instrument: a systematic review. *BMC Geriatr* 2014;14:12.

214. Reuben DB, Seeman TE, Keeler E, et al. Refining the categorization of physical functional status: the added value of combining self-reported and performance-based measures. *J Gerontol A Biol Sci Med Sci* 2004;59:1056-1061.

215. Jones CJ, Rikli RE, Beam WC. A 30-s chair-stand test as a measure of lower body strength in community-residing older adults. *Res Q Exerc Sport* 1999;70:113-119.

216. Herman T, Giladi N, Hausdorff JM. Properties of the 'timed up and go' test: more than meets the eye. *Gerontology* 2011;57:203-210.

217. Podsiadlo D, Richardson S. The timed "Up & Go": a test of basic functional mobility for frail elderly persons. *J Am Geriatr Soc* 1991;39:142-148.

218. Grimm B, Bolink S. Evaluating physical function and activity in the elderly patient using wearable motion sensors. *EFORT Open Rev* 2016;1:112-120.

219. Weiss A, Herman T, Plotnik M, Brozgol M, Giladi N, Hausdorff JM. An instrumented timed up and go: the added value of an accelerometer for identifying fall risk in idiopathic fallers. *Physiol Meas* 2011;32:2003-2018.

220. Schwenk M, Gogulla S, Englert S, Czempik A, Hauer K. Test-retest reliability and minimal detectable change of repeated sit-to-stand analysis using one body fixed sensor in geriatric patients. *Physiol Meas* 2012;33:1931-1946.

221. Helbostad JL, Vereijken B, Becker C, et al. Mobile Health Applications to Promote Active and Healthy Ageing. *Sensors (Basel)* 2017;17.

222. PreventIT Project. (accessed on 21 Jan 2019); <http://www.preventit.eu/>

223. Nasreddine ZS, Phillips NA, Bedirian V, et al. The Montreal Cognitive Assessment, MoCA: a brief screening tool for mild cognitive impairment. *J Am Geriatr Soc* 2005;53:695-699.

224. Bohannon RW, Peolsson A, Massy-Westropp N, Desrosiers J, Bear-Lehman J. Reference values for adult grip strength measured with a Jamar dynamometer: a descriptive meta-analysis. *Physiotherapy* 2006;92:11-15.

225. Haley SM, Jette AM, Coster WJ, et al. Late Life Function and Disability Instrument: II. Development and Evaluation of the Function Component. *J Gerontol A Biol Sci Med Sci* 2002;57:M217-M222.

226. Mellone S, Tacconi C, Chiari L. Validity of a Smartphone-based instrumented Timed Up and Go. *Gait Posture* 2012;36:163-165.

227. Mellone S, Tacconi C, Schwickert L, Klenk J, Becker C, Chiari L. Smartphone-based solutions for fall detection and prevention: the FARSEEING approach. *Z Gerontol Geriatr* 2012;45:722-727.

228. MATLAB and Statistics Toolbox Release 2017b [computer program]. Natick, MA, USA: The MathWorks Inc.; 2017.

229. Mellone S. Movement Analysis by Mean of Interlial Sensors: From Bench to Bedside. Bologna, Italy: Thesis, Alma Mater Studiorum Università di Bologna 2013.

230. Weiss A, Herman T, Plotnik M, et al. Can an accelerometer enhance the utility of the Timed Up & Go Test when evaluating patients with Parkinson's disease? *Med Eng Phys* 2010;32:119-125.

231. Zijlstra A, Mancini M, Lindemann U, Chiari L, Zijlstra W. Sit-stand and stand-sit transitions in older adults and patients with Parkinson's disease: event detection based on motion sensors versus force plates. *J Neuroeng Rehabil* 2012;9:75.

232. Palmerini L, Mellone S, Avanzolini G, Valzania F, Chiari L. Quantification of motor impairment in Parkinson's disease using an instrumented timed up and go test. *IEEE Trans Neural Syst Rehabil Eng* 2013;21:664-673.

233. Weiss A, Mirelman A, Buchman AS, Bennett DA, Hausdorff JM. Using a body-fixed sensor to identify subclinical gait difficulties in older adults with IADL disability: maximizing the output of the timed up and go. *PLoS One* 2013;8:e68885.

234. Moe-Nilssen R, Helbostad JL. Estimation of gait cycle characteristics by trunk accelerometry. *J Biomech* 2004;37:121-126.
235. Zijlstra W. Assessment of spatio-temporal parameters during unconstrained walking. *Eur J Appl Physiol* 2004;92:39-44.
236. El-Gohary M, Pearson S, McNames J, et al. Continuous monitoring of turning in patients with movement disability. *Sensors (Basel)* 2013;14:356-369.
237. Salarian A, Horak FB, Zampieri C, Carlson-Kuhta P, Nutt JG, Aminian K. iTUG, a sensitive and reliable measure of mobility. *IEEE Trans Neural Syst Rehabil Eng* 2010;18:303-310.
238. R: A Language and Environment for Statistical Computing [computer program]. Vienna, Austria: R Foundation for Statistical Computing; 2018.
239. Hmisc: Harrell Miscellaneous. R Package Version 4.1-1. [computer program]. 2018.
240. Schroeder MA. Diagnosing and dealing with multicollinearity. *West J Nurs Res* 1990;12:175-184; discussion 184-177.
241. Mctest: An R Package for Detection of Collinearity among Regressors. [computer program]. Version 8:499-509. R J; 2016.
242. DeLong ER, DeLong DM, Clarke-Pearson DL. Comparing the areas under two or more correlated receiver operating characteristic curves: a nonparametric approach. *Biometrics* 1988;44:837-845.
243. Rms: Regression Modeling Strategies [computer program]. Version R Package Version 5.1-22018.
244. van Lummel RC, Evers J, Niessen M, Beek PJ, van Dieen JH. Older Adults with Weaker Muscle Strength Stand up from a Sitting Position with More Dynamic Trunk Use. *Sensors (Basel)* 2018;18.
245. Ferrucci L, Cooper R, Shardell M, Simonsick EM, Schrack JA, Kuh D. Age-Related Change in Mobility: Perspectives From Life Course Epidemiology and Geroscience. *J Gerontol A Biol Sci Med Sci* 2016;71:1184-1194.
246. Mirelman A, Weiss A, Buchman AS, Bennett DA, Giladi N, Hausdorff JM. Association Between Performance on Timed Up and Go Subtasks and Mild Cognitive Impairment: Further Insights into the Links Between Cognitive and Motor Function. *J Am Geriatr Soc* 2014;62:673-678.
247. Miljkovic N, Lim JY, Miljkovic I, Frontera WR. Aging of skeletal muscle fibers. *Ann Rehabil Med* 2015;39:155-162.
248. Dall TM, Gallo PD, Chakrabarti R, West T, Semilla AP, Storm MV. An aging population and growing disease burden will require a large and specialized health care workforce by 2025. *Health Aff (Millwood)* 2013;32:2013-2020.
249. Coker RH, Wolfe RR. Bedrest and sarcopenia. *Curr Opin Clin Nutr Metab Care* 2012;15:7-11.
250. Paddon-Jones D, Sheffield-Moore M, Urban RJ, et al. Essential amino acid and carbohydrate supplementation ameliorates muscle protein loss in humans during 28 days bedrest. *J Clin Endocrinol Metab* 2004;89:4351-4358.
251. Coker RH, Hays NP, Williams RH, Wolfe RR, Evans WJ. Bed rest promotes reductions in walking speed, functional parameters, and aerobic fitness in older, healthy adults. *J Gerontol A Biol Sci Med Sci* 2015;70:91-96.
252. Drummond MJ, Dickinson JM, Fry CS, et al. Bed rest impairs skeletal muscle amino acid transporter expression, mTORC1 signaling, and protein synthesis in response to essential amino acids in older adults. *Am J Physiol Endocrinol Metab* 2012;302:E1113-E1122.
253. Ferrando AA, Paddon-Jones D, Hays NP, et al. EAA supplementation to increase nitrogen intake improves muscle function during bed rest in the elderly. *Clin Nutr* 2010;29:18-23.
254. English KL, Lee SM, Loehr JA, Ploutz-Snyder RJ, Ploutz-Snyder LL. Isokinetic Strength Changes Following Long-Duration Spaceflight on the ISS. *Aerosp Med Hum Perform* 2015;86:A68-77.
255. Hackney KJ, English KL. Protein and Essential Amino Acids to Protect Musculoskeletal Health during Spaceflight: Evidence of a Paradox? *Life (Basel)* 2014;4:295-317.

## Bibliography

256. Bauer JM, Kaiser MJ, Sieber CC. Sarcopenia in nursing home residents. *J Am Med Dir Assoc* 2008;9:545-551.
257. Bautmans I, Van Puyvelde K, Mets T. Sarcopenia and functional decline: pathophysiology, prevention and therapy. *Acta Clin Belg* 2009;64:303-316.
258. Cruz-Jentoft AJ, Landi F, Topinkova E, Michel JP. Understanding sarcopenia as a geriatric syndrome. *Curr Opin Clin Nutr Metab Care* 2010;13:1-7.
259. Lo CK, Mertz D, Loeb M. Newcastle-Ottawa Scale: comparing reviewers' to authors' assessments. *BMC Med Res Methodol* 2014;14:45.
260. Sterne JA, Hernan MA, Reeves BC, et al. ROBINS-I: a tool for assessing risk of bias in non-randomised studies of interventions. *BMJ* 2016;355:i4919.
261. Borenstein M, Hedges LV, Higgins JP, Rothstein HR. A basic introduction to fixed-effect and random-effects models for meta-analysis. *Res Synth Methods* 2010;1:97-111.
262. Anderson AD, McNaught CE, MacFie J, Tring I, Barker P, Mitchell CJ. Randomized clinical trial of multimodal optimization and standard perioperative surgical care. *Br J Surg* 2003;90:1497-1504.
263. Barry MC, Mealy K, O'Neill S, et al. Nutritional, respiratory, and psychological effects of recombinant human growth hormone in patients undergoing abdominal aortic aneurysm repair. *JPEN J Parenter Enteral Nutr* 1999;23:128-135.
264. Gatt M, Anderson AD, Reddy BS, Hayward-Sampson P, Tring IC, MacFie J. Randomized clinical trial of multimodal optimization of surgical care in patients undergoing major colonic resection. *Br J Surg* 2005;92:1354-1362.
265. Henriksen MG, Jensen MB, Hansen HV, Jespersen TW, Hesselov I. Enforced mobilization, early oral feeding, and balanced analgesia improve convalescence after colorectal surgery. *Nutrition* 2002;18:147-152.
266. Houborg KB, Jensen MB, Rasmussen P, Gandrup P, Schroll M, Laurberg S. Postoperative physical training following colorectal surgery: a randomised, placebo-controlled study. *Scand J Surg* 2006;95:17-22.
267. Mathur S, Plank LD, McCall JL, et al. Randomized controlled trial of preoperative oral carbohydrate treatment in major abdominal surgery. *Br J Surg* 2010;97:485-494.
268. Munk T, Beck AM, Holst M, et al. Positive effect of protein-supplemented hospital food on protein intake in patients at nutritional risk: a randomised controlled trial. *J Hum Nutr Diet* 2014;27:122-132.
269. Nygren J, Soop M, Thorell A, Hausel J, Ljungqvist O. An enhanced-recovery protocol improves outcome after colorectal resection already during the first year: a single-center experience in 168 consecutive patients. *Dis Colon Rectum* 2009;52:978-985.
270. Sharma M, Wahed S, O'Dair G, Gemmell L, Hainsworth P, Horgan AF. A randomized controlled trial comparing a standard postoperative diet with low-volume high-calorie oral supplements following colorectal surgery. *Colorectal Dis* 2013;15:885-891.
271. Arezzo di Trifiletti A, Misino P, Giannantoni P, et al. Comparison of the performance of four different tools in diagnosing disease-associated anorexia and their relationship with nutritional, functional and clinical outcome measures in hospitalized patients. *Clin Nutr* 2013;32:527-532.
272. Bautmans I, Njemini R, Lambert M, Demanet C, Mets T. Circulating acute phase mediators and skeletal muscle performance in hospitalized geriatric patients. *J Gerontol A Biol Sci Med Sci* 2005;60:361-367.
273. Beyer I, Bautmans I, Njemini R, Demanet C, Bergmann P, Mets T. Effects on muscle performance of NSAID treatment with piroxicam versus placebo in geriatric patients with acute infection-induced inflammation. A double blind randomized controlled trial. *BMC Musculoskelet Disord* 2011;12:292.
274. Blanc-Bisson C, Dechamps A, Gouspillou G, Dehail P, Bourdel-Marchasson I. A randomized controlled trial on early physiotherapy intervention versus usual care in acute care unit for elderly: potential benefits in light of dietary intakes. *J Nutr Health Aging* 2008;12:395-399.



275. De Buyser SL, Petrovic M, Taes YE, et al. Functional changes during hospital stay in older patients admitted to an acute care ward: a multicenter observational study. *PLoS One* 2014;9:e96398.
276. Hickson M, Bulpitt C, Nunes M, et al. Does additional feeding support provided by health care assistants improve nutritional status and outcome in acutely ill older in-patients?--a randomised control trial. *Clin Nutr* 2004;23:69-77.
277. Martin-Salvador A, Torres-Sanchez I, Saez-Roca G, Lopez-Torres I, Rodriguez-Alzuea E, Valenza MC. Age group analysis of psychological, physical and functional deterioration in patients hospitalized for pneumonia. *Arch Bronconeumol* 2015;51:496-501.
278. Mets T, Bautmans I, Njemini R, Lambert M, Demanet C. The influence of celecoxib on muscle fatigue resistance and mobility in elderly patients with inflammation. *Am J Geriatr Pharmacother* 2004;2:230-238.
279. Sloan JP, Wing P, Dian L, Meneilly GS. A pilot study of anabolic steroids in elderly patients with hip fractures. *J Am Geriatr Soc* 1992;40:1105-1111.
280. Vermeeren MA, Wouters EF, Geraerts-Keeris AJ, Schols AM. Nutritional support in patients with chronic obstructive pulmonary disease during hospitalization for an acute exacerbation; a randomized controlled feasibility trial. *Clin Nutr* 2004;23:1184-1192.
281. Henriksen MG, Hansen HV, Hesselv I. Early oral nutrition after elective colorectal surgery: influence of balanced analgesia and enforced mobilization. *Nutrition* 2002;18:263-267.
282. Houborg KB, Jensen MB, Hesselv I, Laurberg S. Little effect of physical training on body composition and nutritional intake following colorectal surgery--a randomised placebo-controlled trial. *Eur J Clin Nutr* 2005;59:969-977.
283. Hegerova P, Dedkova Z, Sobotka L. Early nutritional support and physiotherapy improved long-term self-sufficiency in acutely ill older patients. *Nutrition* 2015;31:166-170.
284. Pitta F, Troosters T, Probst VS, Spruit MA, Decramer M, Gosselink R. Physical activity and hospitalization for exacerbation of COPD. *Chest* 2006;129:536-544.
285. Unosson M, Christina A, Bjurulf P, Von Schenck H, Larsson J. Influence of Macro-nutrient Status on Recovery after Hip Fracture. *J Nutr Environ Med* 1995;5:23-34.
286. Gleason LJ, Schmitt EM, Kosar CM, et al. Effect of delirium and other major complications on outcomes after elective surgery in older adults. *JAMA Surg* 2015;150:1134-1140.
287. Berian JR, Mohanty S, Ko CY, Rosenthal RA, Robinson TN. Association of loss of independence with readmission and death after discharge in older patients after surgical procedures. *JAMA Surg* 2016;151:e161689.
288. Fettes SB, Davidson HI, Richardson RA, Pennington CR. Nutritional status of elective gastrointestinal surgery patients pre- and post-operatively. *Clin Nutr* 2002;21:249-254.
289. Keele AM, Bray MJ, Emery PW, Duncan HD, Silk DB. Two phase randomised controlled clinical trial of postoperative oral dietary supplements in surgical patients. *Gut* 1997;40:393-399.
290. Liu XX, Jiang ZW, Wang ZM, Li JS. Multimodal optimization of surgical care shows beneficial outcome in gastrectomy surgery. *JPEN J Parenter Enteral Nutr* 2010;34:313-321.
291. van Venrooij LM, Verberne HJ, de Vos R, Borgmeijer-Hoelen MM, van Leeuwen PA, de Mol BA. Postoperative loss of skeletal muscle mass, complications and quality of life in patients undergoing cardiac surgery. *Nutrition* 2012;28:40-45.
292. Boter H, Manty M, Hansen AM, Hortobagyi T, Avlund K. Self-reported fatigue and physical function in late mid-life. *J Rehabil Med* 2014;46:684-690.
293. Rudy TE, Lieber SJ, Boston JR. Functional capacity assessment: Influence of behavioral and environmental factors. *J Back Musculoskelet Rehabil* 1996;6:277-288.
294. Kyle UG, Bosaeus I, De Lorenzo AD, et al. Bioelectrical impedance analysis-part II: utilization in clinical practice. *Clin Nutr* 2004;23:1430-1453.
295. Sousa AS, Guerra RS, Fonseca I,

## Bibliography

---

- Pichel F, Ferreira S, Amaral TF. Financial impact of sarcopenia on hospitalization costs. *Eur J Clin Nutr* 2016;70:1046-1051.
296. Oosting E, Jans MP, Dronkers JJ, et al. Preoperative home-based physical therapy versus usual care to improve functional health of frail older adults scheduled for elective total hip arthroplasty: a pilot randomized controlled trial. *Arch Phys Med Rehabil* 2012;93:610-616.
297. D'Adamo CR, Hawkes WG, Miller RR, et al. Short-term changes in body composition after surgical repair of hip fracture. *Age Ageing* 2014;43:275-280.
298. Heitmann BL. Evaluation of body fat estimated from body mass index, skinfolds and impedance. A comparative study. *Eur J Clin Nutr* 1990;44:831-837.
299. Hughes VA, Vans WJ. Assessment of fat-free mass in an older population using bioelectrical impedance. *Fed Proc* 1987;46-49.
300. Steiner MC, Barton RL, Singh SJ, Morgan MD. Bedside methods versus dual energy X-ray absorptiometry for body composition measurement in COPD. *Eur Respir J* 2002;19:626-631.
301. Szulc P, Beck TJ, Marchand F, Delmas PD. Low Skeletal Muscle Mass Is Associated With Poor Structural Parameters of Bone and Impaired Balance in Elderly Men—The MINOS Study. *J Bone Miner Res* 2005;20:721-729.
302. Amigues I, Schott A-M, Amine M, et al. Low Skeletal Muscle Mass and Risk of Functional Decline in Elderly Community-Dwelling Women: The Prospective EPIDOS Study. *J Am Med Dir Assoc* 2013;14:352-357.
303. Legrand D, Vaes B, Matheï C, Adriaenssen W, Van Pottelbergh G, Degryse J-M. Muscle Strength and Physical Performance as Predictors of Mortality, Hospitalization, and Disability in the Oldest Old. *J Am Geriatr Soc* 2014;62:1030-1038.
304. Gariballa S, Alessa A. Sarcopenia: prevalence and prognostic significance in hospitalized patients. *Clin Nutr* 2013;32:772-776.
305. Volaklis KA, Halle M, Meisinger C. Muscular strength as a strong predictor of mortality: A narrative review. *Eur J Intern Med* 2015;26:303-310.
306. Smoliner C, Sieber CC, Wirth R. Prevalence of Sarcopenia in Geriatric Hospitalized Patients. *J Am Med Dir Assoc* 2014;15:267-272.
307. Van Ancum JM, Scheerman K, Jonkman NH, et al. Change in muscle strength and muscle mass in older hospitalized patients: A systematic review and meta-analysis. *Exp Gerontol* 2017;92:34-41.
308. Christensen H MA, Korten A, Jornt AK. The "common cause hypothesis" of cognitive aging: Evidence for not only a common factor but also specific associations of age with vision and grip strength in a cross-sectional analysis. *Psychol Aging* 2001;16:588-599.
309. Chang KV, Hsu TH, Wu WT, Huang KC, Han DS. Association Between Sarcopenia and Cognitive Impairment: A Systematic Review and Meta-Analysis. *J Am Med Dir Assoc* 2016;17:1164.e1167-1164.e1115.
310. Raji MA, Kuo Y-F, Snih SA, Markides KS, Kristen Peek M, Ottenbacher KJ. Cognitive Status, Muscle Strength, and Subsequent Disability in Older Mexican Americans. *J Am Geriatr Soc* 2005;53:1462-1468.
311. Alfaro-Acha A, Snih SA, Raji MA, Kuo Y-F, Markides KS, Ottenbacher KJ. Handgrip Strength and Cognitive Decline in Older Mexican Americans. *J Gerontol A Biol Sci Med Sci* 2006;61:859-865.
312. Boyle PA, Buchman AS, Wilson RS, Leurgans SE, Bennett DA. Association of Muscle Strength with the Risk of Alzheimer's Disease and the Rate of Cognitive Decline in Community-Dwelling Older Persons. *Arch Neurol* 2009;66:1339-1344.
313. Maeda K, Akagi J. Cognitive impairment is independently associated with definitive and possible sarcopenia in hospitalized older adults: The prevalence and impact of comorbidities. *Geriatr Gerontol Int* 2017;17:1048-1056.
314. Reijneveld SA, Spijker J, Dijkshoorn H. Katz' ADL index assessed functional performance of Turkish, Moroccan, and Dutch elderly. *J Clin Epidemiol* 2007;60:382-388.
315. Han TS, Lean ME. Lower leg length as an index of stature in adults. *Int J Obes*

Relat Metab Disord 1996;Jan:21-27.

316. O'Sullivan D, Brady N, Manning E, et al. Validation of the 6-Item Cognitive Impairment Test and the 4AT test for combined delirium and dementia screening in older Emergency Department attendees. *Age Ageing* 2018;47:61-68.

317. Blessed G TB, Roth M. The association between quantitative measures of dementia and of senile change in the cerebral grey matter of elderly subjects. *Br J Psychiatry* 1968 Jul;79:797-811.

318. Upadhyaya AK, Rajagopal M, Gale TM. The Six Item Cognitive Impairment Test (6-CIT) as a screening test for dementia: comparison with Mini-Mental State Examination (MMSE). *Curr Aging Sci* 2010;3:138-142.

319. Bosaeus I, Wilcox G, Rothenberg E, Strauss BJ. Skeletal muscle mass in hospitalized elderly patients: comparison of measurements by single-frequency BIA and DXA. *Clin Nutr* 2014;33:426-431.

320. Laurin D, Verreault R, Lindsay J, MacPherson K, Rockwood K. Physical activity and risk of cognitive impairment and dementia in elderly persons. *Arch Neurol* 2001;58:498-504.

321. Guimarães FC, Amorim PRdS, dos Reis FF, et al. Physical Activity and Better Medication Compliance Improve Mini-Mental State Examination Scores in the Elderly. *Dement Geriatr Cogn Disord* 2015;39:25-31.

322. Wirth R, Smoliner C, Sieber CC, Volkert D. Cognitive function is associated with body composition and nutritional risk of geriatric patients. *J Nutr Health Aging* 2011;15:706-710.

323. Visser M, Pahor M, Taaffe DR, et al. Relationship of Interleukin-6 and Tumor Necrosis Factor- $\alpha$  With Muscle Mass and Muscle Strength in Elderly Men and Women: The Health ABC Study. *J Gerontol A Biol Sci Med Sci* 2002;57:M326-M332.

324. Licastro F, Pedrini S, Caputo L, et al. Increased plasma levels of interleukin-1, interleukin-6 and  $\alpha$ -1-antichymotrypsin in patients with Alzheimer's disease: peripheral inflammation or signals from the brain? *J Neuroimmunol* 2000;103:97-102.

325. Meng S-J, Yu L-J. Oxidative Stress, Molecular Inflammation and Sarcopenia. *Int J Mol Sci* 2010;11:1509-1526.

326. Mariani E, Polidori MC, Cherubini A, Mecocci P. Oxidative stress in brain aging, neurodegenerative and vascular diseases: An overview. *J Chromatogr B Analyt Technol Biomed Life Sci* 2005;827:65-75.

327. Baumgartner RN, Waters DL, Gallagher D, Morley JE, Garry PJ. Predictors of skeletal muscle mass in elderly men and women. *Mech Ageing Dev* 1999;107:123-136.

328. Hogervorst E, Bandelow S, Combrinck M, Smith AD. Low free testosterone is an independent risk factor for Alzheimer's disease. *Exp Gerontol* 2004;39:1633-1639.

329. Phillips C, Baktir MA, Srivatsan M, Salehi A. Neuroprotective effects of physical activity on the brain: a closer look at trophic factor signaling. *Front Cell Neurosci* 2014;8:170.

330. Auyeung TW, Kwok T, Lee J, Leung PC, Leung J, Woo J. Functional Decline in Cognitive Impairment – The Relationship between Physical and Cognitive Function. *Neuroepidemiology* 2008;31:167-173.

331. Abellan van Kan G, Cesari M, Gillette-Guyonnet S, et al. Sarcopenia and cognitive impairment in elderly women: results from the EPIDOS cohort. *Age Ageing* 2013;42:196-202.

332. Foldvari M, Clark M, Laviolette LC, et al. Association of Muscle Power With Functional Status in Community-Dwelling Elderly Women. *J Gerontol A Biol Sci Med Sci* 2000;55:M192-M199.

333. Carey EC, Walter LC, Lindquist K, Covinsky KE. Development and validation of a functional morbidity index to predict mortality in community-dwelling elders. *J Gen Intern Med* 2004;19:1027-1033.

334. Ziaaldini MM, Marzetti E, Picca A, Murlasits Z. Biochemical Pathways of Sarcopenia and Their Modulation by Physical Exercise: A Narrative Review. *Front Med (Lausanne)* 2017;4:167.

335. Xia Z, Cholewa J, Zhao Y, et al. Targeting Inflammation and Downstream Protein Metabolism in Sarcopenia: A Brief Up-Dated

## Bibliography

Description of Concurrent Exercise and Leucine-Based Multimodal Intervention. *Front Physiol* 2017;8:434.

336. Aleman H, Esparza J, Ramirez FA, As-tiazaran H, Payette H. Longitudinal evidence on the association between interleukin-6 and C-reactive protein with the loss of total appendicular skeletal muscle in free-living older men and women. *Age Ageing* 2011;40:469-475.

337. Can B, Kara O, Kizilarlanoglu MC, et al. Serum markers of inflammation and oxidative stress in sarcopenia. *Aging Clinical and Experimental Research* 2017;29:745-752.

338. Felicio DC, Pereira DS, Assumpção AM, et al. Inflammatory mediators, muscle and functional performance of community-dwelling elderly women. *Arch Gerontol Geriatr* 2014;59:549-553.

339. Santos MLAS, Gomes WF, Pereira DS, et al. Muscle strength, muscle balance, physical function and plasma interleukin-6 (IL-6) levels in elderly women with knee osteoarthritis (OA). *Arch Gerontol Geriatr* 2011;52:322-326.

340. Singh T, Newman AB. Inflammatory markers in population studies of aging. *Ageing Res Rev* 2011;10:319-329.

341. Schaap LA, Pluijm SMF, Deeg DJH, et al. Higher Inflammatory Marker Levels in Older Persons: Associations With 5-Year Change in Muscle Mass and Muscle Strength. *J Gerontol A Biol Sci Med Sci* 2009;64a:1183-1189.

342. Schalk BW, Deeg DJ, Penninx BW, Bouter LM, Visser M. Serum albumin and muscle strength: a longitudinal study in older men and women. *J Am Geriatr Soc* 2005;53:1331-1338.

343. Visser M, Kritchevsky SB, Newman AB, et al. Lower serum albumin concentration and change in muscle mass: the Health, Aging and Body Composition Study. *Am J Clin Nutr* 2005;82:531-537.

344. Kim MW, Lim JY, Oh SH. Mortality prediction using serum biomarkers and various clinical risk scales in community-acquired pneumonia. *Scand J Clin Lab Invest* 2017;77:486-492.

345. Coto Montes A, Boga JA, Bermejo

Millo C, et al. Potential early biomarkers of sarcopenia among independent older adults. *Maturitas* 2017;104:117-122.

346. Bano G, Trevisan C, Carraro S, et al. Inflammation and sarcopenia: A systematic review and meta-analysis. *Maturitas* 2017;96:10-15.

347. Mello De K, Margutti M, Schuch NJ, Helena C, Schwanke A. Inflammatory markers, sarcopenia and its diagnostic criteria among the elderly: a systematic review. *Rev Bras Geriatr Gerontol*, Rio de Janeiro 2017;20:441-453.

348. Folstein MF, Folstein SE, McHugh PR. "Mini-mental state". A practical method for grading the cognitive state of patients for the clinician. *J Psychiatr Res* 1975;12:189-198.

349. Katz S, Ford AB, Moskowitz RW, Jackson BA, Jaffe MW. Studies of illness in the aged. The index of ADL: a standardized measure of biological and psychosocial function. *JAMA* 1963;185:914-919.

350. Jou JM, Lewis SM, Briggs C, et al. ICSH review of the measurement of the erythrocyte sedimentation rate. *Int J Lab Hematol* 2011;33:125-132.

351. Peel NM, Kuys SS, Klein K. Gait Speed as a Measure in Geriatric Assessment in Clinical Settings: A Systematic Review. *J Gerontol A Biol Sci Med Sci* 2013;68:39-46.

352. Bohannon RW. Test-Retest Reliability of the Five-Repetition Sit-to-Stand Test: A Systematic Review of the Literature Involving Adults. *J Strength Cond Res* 2011;25:3205-3207.

353. Curcio F, Ferro G, Basile C, et al. Biomarkers in sarcopenia: A multifactorial approach. *Exp Gerontol* 2016;85:1-8.

354. Perna S, Peroni G, Faliva MA, et al. Sarcopenia and sarcopenic obesity in comparison: prevalence, metabolic profile, and key differences. A cross-sectional study in Italian hospitalized elderly. *Aging Clin Exp Res* 2017;29:1249-1258.

355. Ferrari R, Caram LMO, Faganello MM, Sanchez FF, Tanni SE, Godoy I. Relation between systemic inflammatory markers, peripheral muscle mass, and strength in limb muscles in stable COPD patients. *Int J Chron Obstruct Pulmon Dis* 2015;10:1553-1558.

356. Cacciatore F, Della-Morte D, Basile C, et al. Butyryl-cholinesterase is related to muscle mass and strength. A new biomarker to identify elderly subjects at risk of sarcopenia. *Biomark Med* 2015;9:669-678.
357. Dalle S, Rossmeislova L, Koppo K. The Role of Inflammation in Age-Related Sarcopenia. *Front Physiol* 2017;8:1045.
358. Cleasby ME, Jamieson PM, Atherton PJ. Insulin resistance and sarcopenia: mechanistic links between common co-morbidities. *J Endocrinol* 2016;229:R67-81.
359. Riley LK, Rupert J. Evaluation of Patients with Leukocytosis. *Am Fam Physician* 2015;92:1004-1011.
360. Michaud M, Balardy L, Moulis G, et al. Proinflammatory cytokines, aging, and age-related diseases. *J Am Med Dir Assoc* 2013;14:877-882.
361. Kalinkovich A, Livshits G. Sarcopenic obesity or obese sarcopenia: A cross talk between age-associated adipose tissue and skeletal muscle inflammation as a main mechanism of the pathogenesis. *Ageing Res Rev* 2017;35:200-221.
362. Alley DE, Koster A, Mackey D, et al. Hospitalization and Change in Body Composition and Strength in a Population-Based Cohort of Older Persons. *J Am Geriatr Soc* 2010;58:2085-2091.
363. Alturki M, Beyer I, Mets T, Bautmans I. Impact of drugs with anti-inflammatory effects on skeletal muscle and inflammation: A systematic literature review. *Exp Gerontol* 2018;114:33-49.
364. Evans WJ, Paolisso G, Abbatecola AM, et al. Frailty and muscle metabolism dysregulation in the elderly. *Biogerontology* 2010;11:527-536.
365. Buford TW, Anton SD, Judge AR, et al. Models of accelerated sarcopenia: critical pieces for solving the puzzle of age-related muscle atrophy. *Ageing Res Rev* 2010;9:369-383.
366. Ticinesi A, Lauretani F, Nouvenne A, et al. C-reactive protein (CRP) measurement in geriatric patients hospitalized for acute infection. *Eur J Intern Med* 2017;37:7-12.
367. Soeters PB, Wolfe RR, Shenkin A. Hypoalbuminemia: Pathogenesis and Clinical Significance. *JPEN J Parenter Enteral Nutr* 2019;43:181-193.
368. Sheldon J, Riches P, Gooding R, Soni N, Hobbs JR. C-reactive protein and its cytokine mediators in intensive-care patients. *Clin Chem* 1993;39:147-150.
369. De Feo P, Lucidi P. Liver protein synthesis in physiology and in disease states. *Curr Opin Clin Nutr Metab Care* 2002;5:47-50.
370. Ha CE, Bhagavan NV. Novel insights into the pleiotropic effects of human serum albumin in health and disease. *Biochim Biophys Acta* 2013;1830:5486-5493.
371. Artigas A, Wernerman J, Arroyo V, Vincent JL, Levy M. Role of albumin in diseases associated with severe systemic inflammation: Pathophysiologic and clinical evidence in sepsis and in decompensated cirrhosis. *J Crit Care* 2016;33:62-70.
372. Westbury LD, Fuggle NR, Syddall HE, et al. Relationships Between Markers of Inflammation and Muscle Mass, Strength and Function: Findings from the Hertfordshire Cohort Study. *Calcif Tissue Int* 2018;102:287-295.
373. Lassale C, Batty GD, Steptoe A, et al. Association of 10-year C-reactive protein trajectories with markers of healthy aging: findings from the English Longitudinal Study of Ageing. *J Gerontol A Biol Sci Med Sci* 2019;74:195-203.
374. Charlson M, Szatrowski TP, Peterson J, Gold J. Validation of a combined comorbidity index. *J Clin Epidemiol* 1994;47:1245-1251.
375. Ferguson M, Capra S, Bauer J, Banks M. Development of a valid and reliable malnutrition screening tool for adult acute hospital patients. *Nutrition* 1999;15:458-464.
376. Rockwood K, Song X, MacKnight C, et al. A global clinical measure of fitness and frailty in elderly people. *CMAJ* 2005;173:489-495.
377. Liu JYJ, Reijnierse EM, van Ancum JM, Verlaan S, Meskers CGM, Maier AB. Acute inflammation is associated with lower muscle strength, muscle mass and functional dependency in male hospitalised older patients. *PLoS One* 2019;14:e0215097.

## Bibliography

378. Beyer I, Njemini R, Bautmans I, Demanet C, Bergmann P, Mets T. Inflammation-related muscle weakness and fatigue in geriatric patients. *Exp Gerontol* 2012;47:52-59.
379. Mehta KM, Pierluissi E, Boscardin WJ, et al. A clinical index to stratify hospitalized older adults according to risk for new-onset disability. *J Am Geriatr Soc* 2011;59:1206-1216.
380. Dennis RA, Johnson LE, Roberson PK, et al. Changes in activities of daily living, nutrient intake, and systemic inflammation in elderly adults receiving recuperative care. *J Am Geriatr Soc* 2012;60:2246-2253.
381. Iwata M, Kuzuya M, Kitagawa Y, Iguchi A. Prognostic value of serum albumin combined with serum C-reactive protein levels in older hospitalized patients: continuing importance of serum albumin. *Aging Clin Exp Res* 2006;18:307-311.
382. McMillan DC. The systemic inflammation-based Glasgow Prognostic Score: a decade of experience in patients with cancer. *Cancer Treat Rev* 2013;39:534-540.
383. Kim MH, Ahn JY, Song JE, et al. The C-Reactive Protein/Albumin Ratio as an Independent Predictor of Mortality in Patients with Severe Sepsis or Septic Shock Treated with Early Goal-Directed Therapy. *PLoS One* 2015;10:e0132109.
384. Ranzani OT, Zampieri FG, Forte DN, Azevedo LC, Park M. C-reactive protein/albumin ratio predicts 90-day mortality of septic patients. *PLoS One* 2013;8:e59321.
385. Wåhlin-Larsson B, Wilkinson DJ, Strandberg E, Hosford-Donovan A, Atherton PJ, Kadi F. Mechanistic Links Underlying the Impact of C-Reactive Protein on Muscle Mass in Elderly. *Cell Physiol Biochem* 2017;44:267-278.
386. Jones DT, Ganeshaguru K, Anderson RJ, et al. Albumin activates the AKT signaling pathway and protects B-chronic lymphocytic leukemia cells from chlorambucil- and radiation-induced apoptosis. *Blood* 2003;101:3174-3180.
387. Lai KM, Gonzalez M, Poueymirou WT, et al. Conditional activation of akt in adult skeletal muscle induces rapid hypertrophy. *Mol Cell Biol* 2004;24:9295-9304.
388. Landi F, Calvani R, Ortolani E, et al. The association between sarcopenia and functional outcomes among older patients with hip fracture undergoing in-hospital rehabilitation. *Osteoporos Int* 2017;28:1569-1576.
389. Sanchez-Rodriguez D, Marco E, Miralles R, et al. Sarcopenia, physical rehabilitation and functional outcomes of patients in a subacute geriatric care unit. *Arch Gerontol Geriatr* 2014;59:39-43.
390. Allen SC. Systemic Inflammation in the Genesis of Frailty and Sarcopenia: An Overview of the Preventative and Therapeutic Role of Exercise and the Potential for Drug Treatments. *Geriatrics (Basel)* 2017;2.
391. Calle MC, Fernandez ML. Effects of resistance training on the inflammatory response. *Nutr Res Pract* 2010;4:259-269.
392. Deer RR, Volpi E. Protein Requirements in Critically Ill Older Adults. *Nutrients* 2018;10.
393. Third Report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III) final report. *Circulation* 2002;106:3143-3421.
394. Kolovou GD, Anagnostopoulou KK, Salpea KD, Mikhailidis DP. The prevalence of metabolic syndrome in various populations. *Am J Med Sci* 2007;333:362-371.
395. Mottillo S, Filion KB, Genest J, et al. The metabolic syndrome and cardiovascular risk a systematic review and meta-analysis. *J Am Coll Cardiol* 2010;56:1113-1132.
396. Blazer DG, Hybels CF, Fillenbaum GG. Metabolic syndrome predicts mobility decline in a community-based sample of older adults. *J Am Geriatr Soc* 2006;54:502-506.
397. Penninx BW, Nicklas BJ, Newman AB, et al. Metabolic syndrome and physical decline in older persons: results from the Health, Aging And Body Composition Study. *J Gerontol A Biol Sci Med Sci* 2009;64:96-102.
398. Roriz-Cruz M, Rosset I, Wada T, et al. Stroke-independent association between



- metabolic syndrome and functional dependence, depression, and low quality of life in elderly community-dwelling Brazilian people. *J Am Geriatr Soc* 2007;55:374-382.
- 399 Tsai SP, Wen CP, Chan HT, Chiang PH, Tsai MK, Cheng TY. The effects of pre-disease risk factors within metabolic syndrome on all-cause and cardiovascular disease mortality. *Diabetes Res Clin Pract* 2008;82:148-156.
400. Lin KM, Chiou JY, Ko SH, Tan JY, Huang CN, Liao WC. Modifiable Lifestyle Behaviors Are Associated With Metabolic Syndrome in a Taiwanese Population. *J Nurs Scholarsh* 2015;47:487-495.
401. Park YW, Zhu S, Palaniappan L, Heshka S, Carnethon MR, Heymsfield SB. The metabolic syndrome: prevalence and associated risk factor findings in the US population from the Third National Health and Nutrition Examination Survey, 1988-1994. *Arch Intern Med* 2003;163:427-436.
402. Yu M, Xu CX, Zhu HH, et al. Associations of cigarette smoking and alcohol consumption with metabolic syndrome in a male Chinese population: a cross-sectional study. *J Epidemiol* 2014;24:361-369.
403. Bisschop CN, Peeters PH, Monninkhof EM, van der Schouw YT, May AM. Associations of visceral fat, physical activity and muscle strength with the metabolic syndrome. *Maturitas* 2013;76:139-145.
404. Gharipour M, Sadeghi M, Nouri F, et al. Socioeconomic determinants and metabolic syndrome: Results from the Isfahan Healthy Heart Program. *Acta Biomed* 2017;87:291-198.
405. Mahanta TG, Joshi R, Mahanta B, Gogoi P. Determinants of metabolic syndrome (MetS) amongst persons living in Dibrugarh District of Assam. *Clin Epidemiol Glob Health* 2017;5:52-61.
406. Laudisio A, Bandinelli S, Gemma A, Ferrucci L, Incalzi RA. Metabolic syndrome and functional ability in older age: the InCHI-ANTI study. *Clin Nutr* 2014;33:626-633.
- 407 Yang EJ, Lim S, Lim JY, Kim KW, Jang HC, Paik NJ. Association between muscle strength and metabolic syndrome in older Korean men and women: the Korean Longitudinal Study on Health and Aging. *Metabolism* 2012;61:317-324.
408. Bankoski A, Harris TB, McClain JJ, et al. Sedentary activity associated with metabolic syndrome independent of physical activity. *Diabetes Care* 2011;34:497-503.
409. Gao X, Nelson ME, Tucker KL. Television viewing is associated with prevalence of metabolic syndrome in Hispanic elders. *Diabetes Care* 2007;30:694-700.
410. Wu TT, Chen IJ, Cho SL, Chiou AF. The Relationship Between Health-Promoting Behaviors and Metabolic Syndrome in Community-Dwelling Older Adults. *Biol Res Nurs* 2016;18:549-557.
411. Ishii S, Tanaka T, Akishita M, Ouchi Y, Tuji T, Iijima K. Metabolic syndrome, sarcopenia and role of sex and age: cross-sectional analysis of Kashiwa cohort study. *PloS One* 2014;9:e112718.
412. Kawamoto R, Ninomiya D, Kasai Y, et al. Handgrip strength is associated with metabolic syndrome among middle-aged and elderly community-dwelling persons. *Clin Exp Hypertens* 2016;38:245-251.
413. Sayer AA, Syddall HE, Dennison EM, et al. Grip strength and the metabolic syndrome: findings from the Hertfordshire Cohort Study. *QJM* 2007;100:707-713.
414. Yang FY, Wahlqvist ML, Lee MS. Body mass index (BMI) as a major factor in the incidence of the metabolic syndrome and its constituents in unaffected Taiwanese from 1998 to 2002. *Asia Pac J Clin Nutr* 2008;17:339-351.
415. Hirose H, Takayama T, Hozawa S, Hibi T, Saito I. Prediction of metabolic syndrome using artificial neural network system based on clinical data including insulin resistance index and serum adiponectin. *Comput Biol Med* 2011;41:1051-1056.
- 416 Zhang W, Chen Q, Yuan Z, et al. A routine biomarker-based risk prediction model for metabolic syndrome in urban Han Chinese population. *BMC Public Health* 2015;15:64.
417. Hsiao FC, Wu CZ, Hsieh CH, He CT, Hung YJ, Pei D. Chinese metabolic syndrome risk score. *South Med J* 2009;102:159-164.

## Bibliography

418. Palaniappan L, Carnethon MR, Wang Y, et al. Predictors of the incident metabolic syndrome in adults: the Insulin Resistance Atherosclerosis Study. *Diabetes Care* 2004;27:788-793.
419. Sumner AD, Sardi GL, Reed JF, 3rd. Components of the metabolic syndrome differ between young and old adults in the US population. *J Clin Hypertens (Greenwich)* 2012;14:502-506.
420. Hoogendijk EO, Deeg DJ, Poppelaars J, et al. The Longitudinal Aging Study Amsterdam: cohort update 2016 and major findings. *Eur J Epidemiol* 2016;31:927-945.
421. Stel VS, Smit JH, Pluijm SM, Viss-er M, Deeg DJ, Lips P. Comparison of the LASA Physical Activity Questionnaire with a 7-day diary and pedometer. *J Clin Epidemiol* 2004;57:252-258.
422. Radloff LS. The CES-D Scale. *Appl Psychol Meas* 1977;1:385-401.
423. Gnjjidic D, Hilmer SN, Blyth FM, et al. Polypharmacy cutoff and outcomes: five or more medicines were used to identify community-dwelling older men at risk of different adverse outcomes. *J Clin Epidemiol* 2012;65:989-995.
424. Twisk JWR. [Inleiding in de toegepaste biostatistiek]. Reed Business Education; 2014.
425. Saukkonen T, Jokelainen J, Timonen M, et al. Prevalence of metabolic syndrome components among the elderly using three different definitions: a cohort study in Finland. *Scand J Prim Health Care* 2012;30:29-34.
426. Brown CD, Higgins M, Donato KA, et al. Body mass index and the prevalence of hypertension and dyslipidemia. *Obes Res* 2000;8:605-619.
427. Alvim Rde O, Mourao-Junior CA, de Oliveira CM, Krieger JE, Mill JG, Pereira AC. Body mass index, waist circumference, body adiposity index, and risk for type 2 diabetes in two populations in Brazil: general and Amerindian. *PloS One* 2014;9:e100223.
428. Bassi N, Karagodin I, Wang S, et al. Lifestyle modification for metabolic syndrome: a systematic review. *Am J Med* 2014;127:1242.e1241-1210.
429. Aye M, Sazali M. Waist circumference and BMI cut-off points to predict risk factors for metabolic syndrome among outpatients in a district hospital. *Singapore Med J* 2012;53:545-550.
430. Kawada T, Otsuka T, Inagaki H, et al. Optimal cut-off levels of body mass index and waist circumference in relation to each component of metabolic syndrome (MetS) and the number of MetS component. *Diabetes Metab Syndr* 2011;5:25-28.
431. Childers DK, Allison DB. The 'Obesity Paradox:' a parsimonious explanation for relations among obesity, mortality rate, and aging? *Int J Obes (Lond)* 2010;34:1231-1238.
432. Culp KR, Cacchione PZ. Nutritional status and delirium in long-term care elderly individuals. *Appl Nurs Res* 2008;21:66-74.
433. Clynes MA, Edwards MH, Buehring B, Dennison EM, Binkley N, Cooper C. Definitions of Sarcopenia: Associations with Previous Falls and Fracture in a Population Sample. *Calcif Tissue Int* 2015;97:445-452.
434. Sousa AS, Guerra RS, Fonseca I, Pichel F, Amaral TF. Sarcopenia among hospitalized patients - A cross-sectional study. *Clin Nutr* 2015;34:1239-1244.
435. Verlaan S, Van Ancum JM, Pierik VD, et al. Muscle measures and nutritional status at hospital admission predict survival and independent living of older patients – the EMPOWER study. *J Frailty Aging* 2017;6:161-166.
436. Abdel-Aziz K, Larner AJ. Six-item cognitive impairment test (6CIT): pragmatic diagnostic accuracy study for dementia and MCI. *Int Psychogeriatr* 2015;27:991-997.
437. Holden MK, Gill KM, Magliozzi MR, Nathan J, Piehl-Baker L. Clinical gait assessment in the neurologically impaired. Reliability and meaningfulness. *Phys Ther* 1984;64:35-40.
438. Oud FM, de Rooij SE, Schuurman T, Duijvelaar KM, van Munster BC. [Predictive value of the VMS theme 'Frail elderly': delirium, falling and mortality in elderly hospital patients]. *Ned Tijdschr Geneesk* 2015;159:A8491.
439. Kruijenga HM, Seidell JC, de Vet HC, Wierdsma NJ, MA vB-dvdS. Development

- and validation of a hospital screening tool for malnutrition: the short nutritional assessment questionnaire (SNAQ). *Clin Nutr* 2005;24:75-82.
440. Rantanen T, Era P, Heikkinen E. Maximal isometric strength and mobility among 75-year-old men and women. *Age Ageing* 1994;23:132-137.
441. Tan LF, Lim ZY, Choe R, Seetharaman S, Merchant R. Screening for Frailty and Sarcopenia Among Older Persons in Medical Outpatient Clinics and its Associations With Healthcare Burden. *J Am Med Dir Assoc* 2017;18:583-587.
442. Beaudart C, Zaaria M, Pasleau F, Reginster JY, Bruyere O. Health Outcomes of Sarcopenia: A Systematic Review and Meta-Analysis. *PLoS One* 2017;12:e0169548.
443. Shavlakadze T, McGeachie J, Grounds MD. Delayed but excellent myogenic stem cell response of regenerating geriatric skeletal muscles in mice. *Biogerontology* 2010;11:363-376.
444. Garcia-Pena C, Garcia-Fabela LC, Gutierrez-Robledo LM, Garcia-Gonzalez JJ, Arango-Lopera VE, Perez-Zepeda MU. Handgrip strength predicts functional decline at discharge in hospitalized male elderly: a hospital cohort study. *PLoS One* 2013;8:e69849.
445. Vetrano DL, Landi F, Volpato S, et al. Association of sarcopenia with short- and long-term mortality in older adults admitted to acute care wards: results from the CRIME study. *J Gerontol A Biol Sci Med Sci* 2014;69:1154-1161.
446. Pierik VD, Meskers CGM, Van Ancum JM, et al. High risk of malnutrition is associated with low muscle mass in older hospitalized patients - a prospective cohort study. *BMC Geriatr* 2017;17:118.
447. Gariballa S, Alessa A. Association between muscle function, cognitive state, depression symptoms and quality of life of older people: evidence from clinical practice. *Aging Clin Exp Res* 2018;30:351-357.
448. Moreland JD, Richardson JA, Goldsmith CH, Clase CM. Muscle weakness and falls in older adults: a systematic review and meta-analysis. *J Am Geriatr Soc* 2004;52:1121-1129.
449. Pijnappels M, van der Burg PJ, Reeves ND, van Dieën JH. Identification of elderly fallers by muscle strength measures. *Eur J Appl Physiol* 2008;102:585-592.
450. de Rekeneire N, Visser M, Peila R, et al. Is a fall just a fall: correlates of falling in healthy older persons. The Health, Aging and Body Composition Study. *J Am Geriatr Soc* 2003;51:841-846.
451. Benichou O, Lord SR. Rationale for Strengthening Muscle to Prevent Falls and Fractures: A Review of the Evidence. *Calcif Tissue Int* 2016;98:531-545.
452. Gillespie LD, Robertson MC, Gillespie WJ, et al. Interventions for preventing falls in older people living in the community. *Cochrane Database Syst Rev* 2012;Cd007146.
453. Mahoney JE, Palta M, Johnson J, et al. Temporal association between hospitalization and rate of falls after discharge. *Arch Intern Med* 2000;160:2788-2795.
454. Mahoney J, Sager M, Dunham NC, Johnson J. Risk of falls after hospital discharge. *J Am Geriatr Soc* 1994;42:269-274.
455. Hill AM, Hoffmann T, McPhail S, et al. Evaluation of the sustained effect of inpatient falls prevention education and predictors of falls after hospital discharge--follow-up to a randomized controlled trial. *J Gerontol A Biol Sci Med Sci* 2011;66:1001-1012.
456. Williamson A, Hoggart B. Pain: a review of three commonly used pain rating scales. *J Clin Nurs* 2005;14:798-804.
457. Gibson MJ, Andres RO, Isaacs B, Radebaugh T, Worm-Petersen J. The prevention of falls in later life. A report of the Kellogg International Work Group on the Prevention of Falls by the Elderly. *Dan Med Bull* 1987;34:1-24.
458. Spruit MA, Sillen MJ, Groenen MT, Wouters EF, Franssen FM. New normative values for handgrip strength: results from the UK Biobank. *J Am Med Dir Assoc* 2013;14:775.e775-711.
459. Wannamethee SG, Atkins JL. Muscle loss and obesity: the health implications of sarcopenia and sarcopenic obesity. *Proc Nutr*

## Bibliography

Soc 2015;74:405-412.

460. Mitchell RJ, Lord SR, Harvey LA, Close JC. Associations between obesity and overweight and fall risk, health status and quality of life in older people. *Aust N Z J Public Health* 2014;38:13-18.

461. Faulkner KA, Cauley JA, Studenski SA, et al. Lifestyle predicts falls independent of physical risk factors. *Osteoporos Int* 2009;20:2025-2034.

462. Hayakawa T, Hashimoto S, Kanda H, et al. Risk factors of falls in inpatients and their practical use in identifying high-risk persons at admission: Fukushima Medical University Hospital cohort study. *BMJ Open* 2014;4:e005385.

463. Pfortmueller CA, Lindner G, Exadaktylos AK. Reducing fall risk in the elderly: risk factors and fall prevention, a systematic review. *Minerva Med* 2014;105:275-281.

464. Bijlsma AY, Pasma JH, Lambers D, et al. Muscle strength rather than muscle mass is associated with standing balance in elderly outpatients. *J Am Med Dir Assoc* 2013;14:493-498.

465. Orr R. Contribution of muscle weakness to postural instability in the elderly. A systematic review. *Eur J Phys Rehabil Med* 2010;46:183-220.

466. Ding L, Yang F. Muscle weakness is related to slip-initiated falls among community-dwelling older adults. *J Biomech* 2016;49:238-243.

467. Landi F, Calvani R, Cesari M, et al. Sarcopenia as the Biological Substrate of Physical Frailty. *Clin Geriatr Med* 2015;31:367-374.

468. Landi F, Cruz-Jentoft AJ, Liperoti R, et al. Sarcopenia and mortality risk in frail older persons aged 80 years and older: results from iSIRENTE study. *Age Ageing* 2013;42:203-209.

469. Wall BT, Dirks ML, Snijders T, et al. Short-term muscle disuse atrophy is not associated with increased intramuscular lipid deposition or a decline in the maximal activity of key mitochondrial enzymes in young and older males. *Exp Gerontol* 2015;61:76-83.

470. Paddon-Jones D, Campbell WW, Jacques PF, et al. Protein and healthy aging. *Am J Clin Nutr* 2015;101:1339S-1345S.

471. Moore DR, Churchward-Venne TA, Witard O, et al. Protein ingestion to stimulate myofibrillar protein synthesis requires greater relative protein intakes in healthy older versus younger men. *J Gerontol A Biol Sci Med Sci* 2015;70:57-62.

472. Wall BT, van Loon LJ. Nutritional strategies to attenuate muscle disuse atrophy. *Nutr Rev* 2013;71:195-208.

473. Covinsky KE, Palmer RM, Kresevic DM, et al. Improving functional outcomes in older patients: lessons from an acute care for elders unit. *Jt Comm J Qual Improv* 1998;24:63-76.

474. Visser M, Harris TB, Fox KM, et al. Change in muscle mass and muscle strength after a hip fracture: relationship to mobility recovery. *J Gerontol A Biol Sci Med Sci* 2000;55:M434-440.

475. Pahor M, Guralnik JM, Ambrosius WT, et al. Effect of structured physical activity on prevention of major mobility disability in older adults: the LIFE study randomized clinical trial. *JAMA* 2014;311:2387-2396.

476. Correia MI, Perman MI, Waitzberg DL. Hospital malnutrition in Latin America: A systematic review. *Clin Nutr* 2017;36:958-967.

477. Pirlich M, Schutz T, Norman K, et al. The German hospital malnutrition study. *Clin Nutr* 2006;25:563-572.

478. Martin A, Healy L, McElwaine P, Clare J, Timmons S. Screening for cognitive impairment in older general hospital patients: comparison of the six-item cognitive impairment test with the mini-mental state examination. A reply. *Int J Geriatr Psychiatry* 2012;27:763-764.

479. Bauer JM, Verlaan S, Bautmans I, et al. Effects of a Vitamin D and Leucine-Enriched Whey Protein Nutritional Supplement on Measures of Sarcopenia in Older Adults, the PROVIDE Study: A Randomized, Double-Blind, Placebo-Controlled Trial. *J Am Med Dir Assoc* 2015;16:740-747.

480. Eglseer D, Eminovic S, Lohrmann C. Association Between Sarcopenia and Nutritional Status in Older Adults: A Systematic Lit-

- erature Review. *J Gerontol Nurs* 2016;42:33-41.
481. Perez-Zepeda MU, Sgaravatti A, Dent E. Sarcopenia and post-hospital outcomes in older adults: A longitudinal study. *Arch Gerontol Geriatr* 2016;69:105-109.
482. Deutz NE, Bauer JM, Barazzoni R, et al. Protein intake and exercise for optimal muscle function with aging: recommendations from the ESPEN Expert Group. *Clin Nutr* 2014;33:929-936.
483. Cooper R, Kuh D, Hardy R, Mortality Review G, Falcon, Teams HAS. Objectively measured physical capability levels and mortality: systematic review and meta-analysis. *BMJ* 2010;341:c4467.
484. Marzetti E, Calvani R, Landi F, et al. Innovative Medicines Initiative: The SPRINT Project. *J Frailty Aging* 2015;4:207-208.
485. Dodds RM, Syddall HE, Cooper R, et al. Grip strength across the life course: normative data from twelve British studies. *PLoS One* 2014;9:e113637.
486. Rosenberg IH. Sarcopenia: origins and clinical relevance. *J Nutr* 1997;127:990s-991s.
487. Lorentzon M, Cummings SR. Osteoporosis: the evolution of a diagnosis. *J Intern Med* 2015;277:650-661.
488. Fragala MS, Clark MH, Walsh SJ, et al. Gender differences in anthropometric predictors of physical performance in older adults. *Gend Med* 2012;9:445-456.
489. Straight CR, Brady AO, Evans E. Sex-specific relationships of physical activity, body composition, and muscle quality with lower-extremity physical function in older men and women. *Menopause* 2015;22:297-303.
490. Calderon-Larranaga A, Vetrano DL, Ferrucci L, et al. Multimorbidity and functional impairment-bidirectional interplay, synergistic effects and common pathways. *J Intern Med* 2019;285:255-271.
491. Groessl EJ, Kaplan RM, Rejeski WJ, et al. Health-related quality of life in older adults at risk for disability. *Am J Prev Med* 2007;33:214-218.
492. Mesinovic J, McMillan LB, Shore-Lorenti C, De Courten B, Ebeling PR, Scott D. Metabolic Syndrome and Its Associations with Components of Sarcopenia in Overweight and Obese Older Adults. *J Clin Med* 2019;8.
493. Wall BT, Dirks ML, van Loon LJ. Skeletal muscle atrophy during short-term disuse: implications for age-related sarcopenia. *Ageing Res Rev* 2013;12:898-906.
494. Hartley P, Costello P, Fenner R, et al. Change in skeletal muscle associated with unplanned hospital admissions in adult patients: A systematic review and meta-analysis. *PLoS One* 2019;14:e0210186.
495. Proceedings of the NIH-FDA Conference April 1999. Biomarkers and Surrogate endpoints: Clinical Research and Applications. Downing GJ, 2000.
496. Tuttle CSL, Maier AB. Towards a biological geriatric assessment. *Exp Gerontol* 2018;107:102-107.
497. Scheerman K, Raaijmakers K, Otten RHJ, Meskers CGM, Maier AB. Effect of physical interventions on physical performance and physical activity in older patients during hospitalization: a systematic review. *BMC Geriatr* 2018;18:288.
498. Kosse NM, Dutmer AL, Dasenbrock L, Bauer JM, Lamoth CJ. Effectiveness and feasibility of early physical rehabilitation programs for geriatric hospitalized patients: a systematic review. *BMC Geriatr* 2013;13:107.
499. Cruz-Jentoft AJ, Landi F, Schneider SM, et al. Prevalence of and interventions for sarcopenia in ageing adults: a systematic review. Report of the International Sarcopenia Initiative (EWGSOP and IWGS). *Age Ageing* 2014;43:748-759.
500. Cermak NM, Res PT, de Groot LC, Saris WH, van Loon LJ. Protein supplementation augments the adaptive response of skeletal muscle to resistance-type exercise training: a meta-analysis. *Am J Clin Nutr* 2012;96:1454-1464.
501. Taraldsen K, Mikolaizak AS, Maier AB, et al. Protocol for the PreventIT feasibility randomised controlled trial of a lifestyle-integrated exercise intervention in young older adults. *BMJ Open* 2019;9:e023526.